


Wałki zębate

Wałki zębate o podziałce metrycznej T2,5 / T5 / T10




Materiał: aluminium

T2,5 podziałka: 2,5 mm							T5 podziałka: 5 mm							T10 podziałka: 10 mm							
kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]	
H0001	T2,5	10	7,42	50	75	0,01	H0036	T5	10	15,05	125	140	0,06	H0075	T10	10	29,98	140	140	0,22	
H0002	T2,5	12	9,00	50	75	0,01	H0037	T5	11	16,65	125	140	0,07	H0076	T10	11	33,16	140	140	0,29	
H0003	T2,5	13	9,80	50	75	0,02	H0038	T5	12	18,25	125	140	0,09	H0077	T10	12	36,35	140	140	0,34	
H0004	T2,5	14	10,60	50	75	0,02	H0039	T5	13	19,85	125	140	0,10	H0078	T10	13	39,50	140	140	0,42	
H0005	T2,5	15	11,40	50	75	0,02	H0040	T5	14	21,45	132	140	0,12	H0079	T10	14	42,70	160	160	0,55	
H0006	T2,5	16	12,20	50	75	0,02	H0041	T5	15	23,05	132	140	0,14	H0080	T10	15	45,90	160	160	0,64	
H0007	T2,5	17	13,00	50	75	0,03	H0042	T5	16	24,60	140	140	0,16	H0081	T10	16	49,10	160	160	0,74	
H0008	T2,5	18	13,80	50	75	0,03	H0043	T5	17	26,20	140	140	0,19	H0082	T10	17	52,25	160	160	0,85	
H0009	T2,5	19	14,60	90	120	0,05	H0044	T5	18	27,80	140	140	0,21	H0083	T10	18	55,45	160	160	0,96	
H0010	T2,5	20	15,40	90	120	0,05	H0045	T5	19	29,40	140	140	0,24	H0084	T10	19	58,65	160	160	1,07	
H0011	T2,5	21	16,20	90	120	0,06	H0046	T5	20	31,00	160	160	0,31	H0085	T10	20	61,80	160	160	1,20	
H0012	T2,5	22	17,00	125	140	0,08	H0047	T5	21	32,70	160	160	0,33	H0086	T10	21	65,00	160	160	1,29	
H0013	T2,5	24	18,55	125	140	0,09	H0048	T5	22	34,15	160	160	0,36	H0087	T10	22	68,20	160	160	1,43	
H0014	T2,5	26	20,15	125	140	0,12	H0049	T5	23	35,85	160	160	0,39	H0088	T10	23	71,35	160	160	1,58	
H0015	T2,5	27	20,95	125	140	0,13	H0050	T5	24	37,40	160	160	0,43	H0089	T10	24	74,55	160	160	1,73	
H0016	T2,5	28	21,75	125	140	0,14	H0051	T5	25	38,95	160	160	0,47	H0090	T10	26	80,90	160	160	2,05	
H0017	T2,5	29	22,55	125	140	0,15	H0052	T5	26	40,60	160	160	0,51	H0091	T10	28	87,25	160	160	2,39	
H0018	T2,5	30	23,35	125	140	0,15	H0053	T5	27	42,20	160	160	0,55	H0092	T10	30	93,65	160	160	2,76	
H0019	T2,5	32	24,95	125	140	0,18	H0054	T5	28	43,75	160	160	0,60	H0093	T10	32	100,00	160	160	3,18	
H0020	T2,5	34	26,55	125	140	0,21	H0055	T5	29	45,35	160	160	0,65	H0094	T10	34	106,40	160	160	3,61	
H0021	T2,5	35	27,35	132	140	0,21	H0056	T5	30	46,95	160	160	0,70	H0095	T10	36	112,75	160	160	4,06	
H0022	T2,5	36	28,10	132	140	0,22	H0057	T5	32	50,10	160	160	0,80	H0096	T10	38	119,10	160	160	4,62	
H0023	T2,5	38	29,70	132	140	0,26	H0058	T5	34	53,25	160	160	0,91	H0097	T10	40	125,45	160	160	5,13	
H0024	T2,5	40	31,30	132	140	0,27	H0059	T5	35	54,85	160	160	0,98	H0098	T10	45	141,40	160	160	6,50	
H0025	T2,5	42	32,90	140	140	0,32	H0060	T5	36	56,45	160	160	1,02	H0099	T10	48	150,95	160	160	7,39	
H0026	T2,5	44	34,50	140	140	0,33	H0061	T5	37	58,06	160	160	1,08	H0100	T10	60	189,10	160	160	11,76	
H0027	T2,5	45	35,30	140	140	0,37	H0062	T5	38	59,65	160	160	1,14	H0101	T10	72	227,29	160	160	17,03	
H0028	T2,5	48	37,70	140	140	0,40	H0063	T5	40	62,85	160	160	1,27								
H0029	T2,5	50	39,29	160	160	0,52	H0064	T5	42	66,00	160	160	1,41								
H0030	T2,5	60	47,25	160	160	0,72	H0065	T5	44	69,20	160	160	1,55								
H0031	T2,5	65	51,20	160	160	0,87	H0066	T5	45	70,80	160	160	1,63								
H0032	T2,5	70	55,20	160	160	1,05	H0067	T5	46	72,40	160	160	1,69								
H0033	T2,5	72	56,80	160	160	1,11	H0068	T5	48	75,55	160	160	1,85								
H0034	T2,5	90	71,12	160	160	1,75	H0069	T5	50	78,75	160	160	2,02								
H0035	T2,5	100	79,08	160	160	2,18	H0070	T5	60	94,65	160	160	2,95								
							H0071	T5	72	113,75	160	160	4,28								
							H0072	T5	80	126,48	160	160	5,39								
							H0073	T5	90	142,40	160	160	6,76								
							H0074	T5	100	158,31	160	160	8,34								

Wałki zębate

Wałki zębate o podziątce metrycznej AT5 / AT10




Materiał: aluminium

AT 5 podziątka: 5 mm							AT 10 podziątka: 10 mm						
kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]
H0102	AT5	12	17,85	125	140	0,08	H0135	AT10	15	45,90	160	160	0,62
H0103	AT5	13	19,45	125	140	0,10	H0136	AT10	16	49,05	160	160	0,72
H0104	AT5	14	21,05	132	140	0,12	H0137	AT10	17	52,25	160	160	0,82
H0105	AT5	15	22,65	132	140	0,14	H0138	AT10	18	55,45	160	160	0,94
H0106	AT5	16	24,20	140	140	0,15	H0139	AT10	19	58,60	160	160	1,05
H0107	AT5	17	25,80	140	140	0,18	H0140	AT10	20	61,80	160	160	1,17
H0108	AT5	18	27,40	140	140	0,20	H0141	AT10	21	65,00	160	160	1,31
H0109	AT5	19	29,00	140	140	0,23	H0142	AT10	22	68,15	160	160	1,44
H0110	AT5	20	30,60	160	160	0,30	H0143	AT10	23	71,35	160	160	1,60
H0111	AT5	21	32,30	160	160	0,33	H0144	AT10	24	74,55	160	160	1,75
H0112	AT5	22	33,85	160	160	0,36	H0145	AT10	25	77,70	160	160	1,91
H0113	AT5	23	35,45	160	160	0,40	H0146	AT10	26	80,90	160	160	2,06
H0114	AT5	24	37,00	160	160	0,44	H0147	AT10	27	84,10	160	160	2,23
H0115	AT5	25	38,60	160	160	0,47	H0148	AT10	28	87,25	160	160	2,42
H0116	AT5	26	40,20	160	160	0,51	H0320	AT10	29	90,45	160	160	-
H0117	AT5	27	41,80	160	160	0,55	H0149	AT10	30	93,65	160	160	2,79
H0118	AT5	28	43,35	160	160	0,60	H0321	AT10	31	96,80	160	160	-
H0309	AT5	29	44,95	160	160	-	H0150	AT10	32	100,00	160	160	3,20
H0119	AT5	30	46,55	160	160	0,69	H0322	AT10	33	103,20	160	160	-
H0310	AT5	31	48,15	160	160	-	H0151	AT10	34	106,40	160	160	3,65
H0120	AT5	32	49,70	160	160	0,81	H0323	AT10	35	109,55	160	160	-
H0311	AT5	33	51,30	160	160	-	H0152	AT10	36	112,75	160	160	4,09
H0121	AT5	34	52,85	160	160	0,90	H0324	AT10	37	115,90	160	160	-
H0312	AT5	35	54,45	160	160	-	H0153	AT10	38	119,10	160	160	4,59
H0122	AT5	36	56,05	160	160	1,02	H0154	AT10	40	125,45	160	160	5,16
H0123	AT5	38	59,25	160	160	1,14	H0325	AT10	41	128,65	160	160	-
H0124	AT5	40	62,45	160	160	1,28	H0155	AT10	42	131,85	160	160	5,65
H0125	AT5	42	65,60	160	160	1,41	H0156	AT10	44	138,20	160	160	6,22
H0126	AT5	44	68,80	160	160	1,55	H0326	AT10	45	141,40	160	160	-
H0313	AT5	45	70,40	160	160	-	H0157	AT10	46	144,55	160	160	6,84
H0127	AT5	46	72,00	160	160	1,70	H0158	AT10	48	150,95	160	160	7,45
H0128	AT5	48	75,15	160	160	1,85	H0327	AT10	50	157,30	160	160	-
H0314	AT5	50	78,35	160	160	-	H0328	AT10	51	160,50	160	160	-
H0129	AT5	52	81,55	160	160	2,19	H0159	AT10	52	163,65	160	160	8,93
H0315	AT5	54	84,70	160	160	-	H0329	AT10	54	170,05	160	160	-
H0316	AT5	55	86,30	160	160	-	H0330	AT10	55	173,20	160	160	-
H0130	AT5	56	87,90	160	160	2,55	H0160	AT10	56	176,40	160	160	10,39
H0131	AT5	58	91,10	160	160	2,74	H0331	AT10	57	179,60	160	160	-
H0132	AT5	60	94,25	160	160	2,94	H0161	AT10	58	182,75	160	160	10,96
H0317	AT5	62	97,45	160	160	-	H0332	AT10	59	185,95	160	160	-
H0133	AT5	64	100,65	160	160	3,36	H0162	AT10	60	189,10	160	160	11,78
H0318	AT5	65	102,25	160	160	-	H0333	AT10	62	195,50	160	160	-
H0319	AT5	70	110,20	160	160	-	H0163	AT10	70	220,95	160	160	16,18
H0134	AT5	72	113,35	160	160	4,29	H0334	AT10	75	236,90	160	160	-

Wałki zębate

Wałki zębate o podziałce metrycznej HTD



Materiał: aluminium


HTD 3M podziałka: 3 mm							HTD 5M podziałka: 5 mm						
kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]
H0361	3M	9	7,83	75	100		H0164	5M	12	17,96	160	160	0,08
H0362	3M	10	8,79	75	100		H0165	5M	13	19,55	160	160	0,10
H0363	3M	11	9,74	75	100		H0166	5M	14	21,14	175	200	0,16
H0364	3M	12	10,70	100	125		H0167	5M	15	22,73	175	200	0,19
H0365	3M	13	11,65	100	125		H0168	5M	16	24,32	175	200	0,21
H0366	3M	14	12,61	100	125		H0169	5M	17	25,92	175	200	0,24
H0367	3M	15	13,56	100	125		H0170	5M	18	27,51	200	200	0,27
H0368	3M	16	14,52	125	155		H0171	5M	19	29,10	200	200	0,31
H0369	3M	17	15,47	125	155		H0172	5M	20	30,69	200	200	0,35
H0370	3M	18	16,43	125	155		H0173	5M	21	32,28	200	200	0,39
H0371	3M	19	17,38	125	155		H0174	5M	22	33,87	200	200	0,43
H0372	3M	20	18,34	150	165		H0175	5M	23	35,47	200	200	0,48
H0373	3M	21	19,25	150	165		H0176	5M	24	37,06	200	200	0,52
H0374	3M	22	20,25	150	165		H0177	5M	25	38,65	200	200	0,57
H0375	3M	23	21,20	150	165		H0178	5M	26	40,24	200	200	0,62
H0376	3M	24	22,16	150	165		H0179	5M	27	41,83	200	200	0,67
H0377	3M	25	23,11	150	165		H0180	5M	28	43,42	200	200	0,73
H0378	3M	26	24,07	150	165		H0181	5M	30	46,61	200	200	0,84
H0379	3M	27	25,02	150	165		H0182	5M	32	49,79	200	200	0,97
H0380	3M	28	25,98	150	165		H0183	5M	34	52,97	200	200	1,11
H0381	3M	29	26,93	150	165		H0184	5M	36	56,16	200	200	1,25
H0382	3M	30	27,89	175	183		H0185	5M	38	59,34	200	200	1,40
H0383	3M	31	28,84	175	183		H0186	5M	40	62,52	200	200	1,55
H0384	3M	32	29,80	175	183		H0187	5M	42	65,71	200	200	1,73
H0385	3M	33	30,75	175	183		H0188	5M	44	68,89	200	200	1,90
H0386	3M	34	31,71	175	183		H0189	5M	45	70,48	200	200	1,99
H0387	3M	35	32,66	175	183		H0190	5M	48	75,25	200	200	2,27
H0388	3M	36	33,62	200	200		H0191	5M	50	78,44	200	200	2,48
H0389	3M	37	34,57	200	200		H0192	5M	60	94,35	200	200	3,60
H0390	3M	38	35,53	200	200		H0193	5M	72	113,45	200	200	5,28
H0391	3M	39	36,48	200	200								
H0392	3M	40	37,44	200	200								
H0393	3M	42	39,34	200	200								
H0394	3M	44	41,26	200	200								
H0395	3M	48	45,08	200	200								
H0396	3M	50	46,99	200	200								
H0397	3M	52	48,90	200	200								
H0398	3M	54	50,81	200	200								
H0399	3M	56	52,72	200	200								
H0354	3M	60	56,54	200	200								
H0355	3M	62	58,45	200	200								
H0356	3M	64	60,36	200	200								
H0357	3M	66	62,27	200	200								
H0358	3M	68	64,18	200	200								
H0359	3M	70	66,09	200	200								
H0360	3M	72	67,99	200	200								

Uwaga!
Wałki zębate 8M dostępne w naszej ofercie na zapytanie.

Wałki zębate

Wałki zębate o podziątce calowej **MXL / XL**

ISO 5294



Materiał: aluminium


MXL podziątka: 0,80" (2,032 mm)							XL podziątka: 1/5" (5,08 mm)						
kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]
H0336	MXL	11	6,60	50	75	-	H0238	XL	10	15,66	125	140	0,07
H0213	MXL	12	7,26	50	75	0,01	H0239	XL	11	17,28	125	140	0,08
H0337	MXL	13	7,90	50	75	-	H0240	XL	12	18,90	125	140	0,10
H0214	MXL	14	8,56	50	75	0,01	H0241	XL	13	20,51	125	140	0,11
H0215	MXL	15	9,19	50	75	0,01	H0242	XL	14	22,13	132	140	0,13
H0216	MXL	16	9,83	50	75	0,02	H0243	XL	15	23,75	132	140	0,16
H0338	MXL	17	10,49	50	75	-	H0244	XL	16	25,36	140	140	0,18
H0217	MXL	18	11,12	50	75	0,02	H0245	XL	17	26,98	140	140	0,20
H0339	MXL	19	11,78	90	120	-	H0246	XL	18	28,60	140	140	0,23
H0218	MXL	20	12,42	90	120	0,04	H0247	XL	19	30,22	140	140	0,26
H0340	MXL	21	13,08	90	120	-	H0248	XL	20	31,83	140	140	0,28
H0219	MXL	22	13,72	125	140	0,05	H0249	XL	21	33,45	160	160	0,36
H0341	MXL	23	14,38	125	140	-	H0250	XL	22	35,07	160	160	0,40
H0220	MXL	24	15,01	125	140	0,06	H0251	XL	23	36,60	160	160	0,44
H0221	MXL	25	15,67	125	140	0,07	H0252	XL	24	38,30	160	160	0,48
H0222	MXL	26	16,31	125	140	0,08	H0253	XL	25	39,93	160	160	0,51
H0342	MXL	27	16,94	125	140	-	H0254	XL	26	41,53	160	160	0,56
H0223	MXL	28	16,70	125	140	0,09	H0255	XL	27	43,15	160	160	0,60
H0343	MXL	29	18,24	125	140	-	H0256	XL	28	44,77	160	160	0,65
H0224	MXL	30	18,90	125	140	0,10	H0257	XL	29	46,39	160	160	0,70
H0225	MXL	32	20,19	125	140	0,12	H0258	XL	30	48,00	160	160	0,75
H0226	MXL	34	21,49	125	140	0,13	H0259	XL	32	51,24	160	160	0,87
H0344	MXL	35	22,12	132	140	-	H0260	XL	33	52,85	160	160	0,92
H0227	MXL	36	22,78	132	140	0,15	H0261	XL	34	54,47	160	160	0,98
H0228	MXL	38	24,08	132	140	0,17	H0262	XL	35	56,09	160	160	1,04
H0229	MXL	40	25,37	132	140	0,19	H0263	XL	36	57,70	160	160	1,10
H0230	MXL	42	26,67	140	140	0,20	H0264	XL	38	60,94	160	160	1,23
H0231	MXL	44	27,94	140	140	0,23	H0265	XL	39	62,56	160	160	1,30
H0232	MXL	45	28,60	140	140	0,24	H0266	XL	40	64,17	160	160	1,37
H0233	MXL	48	30,53	140	140	0,27	H0267	XL	41	65,79	160	160	1,43
H0234	MXL	50	32,33	140	140	0,30	H0268	XL	42	67,41	160	160	1,51
H0235	MXL	60	38,30	160	160	0,49	H0269	XL	43	69,02	160	160	1,58
H0345	MXL	64	40,89	160	160	-	H0270	XL	44	70,64	160	160	1,65
H0346	MXL	65	41,53	160	160	-	H0271	XL	48	77,11	160	160	1,98
H0236	MXL	70	44,78	160	160	0,67	H0350	XL	50	80,33	160	160	-
H0237	MXL	72	46,05	160	160	0,72	H0272	XL	56	90,04	160	160	2,71
H0347	MXL	75	48,01	160	160	-	H0273	XL	60	96,51	160	160	3,10
H0348	MXL	90	57,71	160	160	-	H0351	XL	64	102,95	160	160	-
H0349	MXL	110	70,64	160	160	-	H0352	XL	65	104,56	160	160	-
							H0353	XL	70	112,68	160	160	-
							H0274	XL	72	115,92	160	160	4,52

*Na zapytanie dostępne wałki XL stalowe.

Wałki zębate

Wałki zębate o podziałce calowej L

ISO 5294



Materiał: aluminium							Materiał: stal						
L podziałka: 3/8" (9,525 mm)							L podziałka: 3/8" (9,525 mm)						
kod	typ	Z	de	L1	L	[kg]	kod	typ	Z	de	L1	L	[kg]
H0275	L	10	29,56	140	140	0,23	H0292	L	10	29,56	140	140	0,66
H0276	L	11	32,59	140	140	0,28	H0293	L	11	32,59	140	140	0,81
H0277	L	12	35,62	160	160	0,39	H0294	L	12	35,62	160	160	1,12
H0278	L	13	38,65	160	160	0,46	H0295	L	13	38,65	160	160	1,32
H0279	L	14	41,68	160	160	0,55	H0296	L	14	41,68	160	160	1,57
H0280	L	15	44,72	160	160	0,63	H0297	L	15	44,72	160	160	1,81
H0281	L	16	47,75	160	160	0,73	H0298	L	16	47,75	160	160	2,08
H0282	L	17	50,78	160	160	0,82	H0299	L	17	50,78	160	160	2,34
H0283	L	18	53,81	160	160	0,93	H0300	L	18	53,81	160	160	2,64
H0284	L	19	56,84	160	160	1,04	H0301	L	19	56,84	160	160	2,96
H0285	L	20	59,88	160	160	1,16	H0302	L	20	59,88	160	160	3,32
H0286	L	21	62,91	160	160	1,28	H0303	L	21	62,91	160	160	3,67
H0287	L	22	65,94	160	160	1,41	H0304	L	22	65,94	160	160	4,07
H0288	L	23	68,97	160	160	1,55	H0305	L	23	68,97	160	160	4,44
H0289	L	24	72,00	160	160	1,69	H0306	L	24	72,00	160	160	4,86
H0290	L	27	81,10	160	160	2,15	H0307	L	27	81,10	160	160	6,20
H0291	L	30	90,20	160	160	2,67	H0308	L	30	90,20	160	160	7,72