

## groov EPIC LEARNING CENTER

- > Complete package of fully functional Opto 22 *groov*® EPIC hardware and suite of software
- > Ideal for demonstrating extensive capabilities and enlivening Proof of Concept projects
- > Designed to work with Opto 22's on-line, self-guided learning modules and downloadable projects
- > Includes two seats for our premium, on-site training at company headquarters in Temecula, California
- > Custom-designed, durable carrying case
- > FREE technical support and pre-sales engineering



## DESCRIPTION

The *groov* EPIC® Learning Center plays an integral role in the free OptoU Online Training (<https://training.opto22.com>) offered by Opto 22, providing hands-on experience and the opportunity for more in-depth exercises. It also functions as a complete demonstration unit, providing a live experience for your pilot and Proof of Concept projects.

### What's Included?

Hardware (load panel, I/O modules) and software (pre-developed software projects, strategies, flows, and more) designed to work in concert with online training.

### groov EPIC Parts

Mounted on a plexiglass operator load panel are:

- 1 *groov* EPIC processor, [GRV-EPIC-PR1](#)
- 1 power supply, [GRV-EPIC-PSPT](#)
- 1 DC input module, [GRV-IACDCTTL-24](#)
- 1 DC output module, [GRV-ODCI-12](#)
- 1 ICTD temperature input module, [GRV-IICTD-12](#)
- 1 analog VDC input module, [GRV-IV-24](#)
- 1 four-position chassis, [GRV-EPIC-CHS4](#)

### Operator Load Panel

- 2 illuminated pushbuttons
- 1 potentiometer
- 1 ICTD temperature probe with resistor
- 1 Sonalert alarm
- 3 Multi-color LEDs: red, blue, and green

### Software on the GRV-EPIC-PR1

- **groov Manage**—to configure, commission, and troubleshoot the processor

- **PAC Control Engine**—a real-time control engine to run flowchart-based control programs
- **CODESYS Runtime Engine**—a real-time control engine to run IEC-61131-3 compatible control programs
- **groov View**—to build and view mobile and browser-based operator interfaces
- **Ignition Edge**®—from Inductive Automation®, provides drivers to PLCs
- **MQTT with Sparkplug**—a secure, bi-directional, lightweight publish/subscribe protocol
- **Node-RED**—an open-source, multi-platform IIoT tool to connect databases, cloud apps, and APIs
- **SSH**—to download and run your custom application written in languages like Python, C/C++, and others, on an open, Linux®-based automation system

### Software for Control Program and HMI Development

Download these free software packages to your computer to develop flowchart-based or IEC-61131-3 compatible control programs, as well as HMIs:

- **PAC Control**—a flowchart-based industrial automation programming tool
- **PAC Display**—to build HMI operator interfaces for Microsoft® Windows®-based computers
- **CODESYS Development System**—a software platform for factory automation, providing IEC-61131-3 support
- **Opto 22 Library Package for CODESYS**—a library package to add to CODESYS Development System

### Part Numbers

Part	Description
GRV-EPIC-LC	<i>groov</i> EPIC Learning Center, carrying case, power supply cord, temperature probe, two complimentary seats for on-site training (GROOV-TRAINING-PF)

## Training Resources

Online, self-guided learning modules available at <https://training.opto22.com/series/groov-epic-training-series>

Throughout the course, you'll find links to reference materials and learning tools, and be able to check your knowledge with quizzes.

In addition to online training, you can download the [groov EPIC Learning Center Package](#), which contains functional project files designed to run on the Learning Center. These project files demonstrate the broad range of functionality of *groov* View, Node-RED, CODESYS, PAC Control, and PAC Display. The [installation instructions](#) in form 2315 help you get the projects installed and running quickly.

You will also receive two (2) complimentary seats for premium factory training held at our company headquarters in Temecula, California.

## Additional Accessories

- Pelican™ 1557 Air Case; watertight, crushproof, and dustproof
- AC/DC Adapter and power cable, input 100-240 VAC, 50-60 Hz @ 1.6 A, output 12 VDC @ 6 A
- Screwdriver to release or tighten module terminal connector

## Learn & Examine

Not just a product sample, the *groov* EPIC Learning Center includes the field-proven, real hardware and full-featured software used by customers all over the world.

Create and powerfully demonstrate Proof of Concept projects:

- Demonstrate how *groov* EPIC processor can be installed in a machine and be connected to an external monitor.
- Demonstrate how the unit can be set up as a controller and display HMI screens on the touchscreen, as well as a mobile device or computer.
- Demonstrate how easily you can set up the Ignition Edge Gateway, connect to legacy PLCs, and begin collecting and publishing tag information to cloud services

The Learning Center is also designed to work with the online training program on the Opto 22 website. With the training program, you will learn how to:

## Initialize and Configure the *groov* EPIC Processor

After you turn on your Learning Center, you'll:

- Create user IDs & passwords and learn about the different access levels you can create
- Establish network connectivity and learn about the other ways you can connect the processor to a network
- Calibrate the integrated touchscreen and learn how you can connect the processor to external monitors

- Navigate through *groov* Manage both on the touchscreen and through a computer browser
- Compare and practice the different ways to configure I/O modules through *groov* Manage, PAC Control, and CODESYS

## Create Control Programs and Choose Programming Options

- Create a comprehensive control program with PAC Control that monitors and controls a fictional convenience store
- Download the CODESYS Development System and learn to create, download, and run a simple IEC61131-3 compliant program on the *groov* EPIC processor
- Learn how to access the optional SSH, Linux shell to download and run a custom program

## Create Human-Machine Interfaces (HMIs)

- Create an HMI for browsers and mobile devices with *groov* View
- Create an HMI for a Windows-based PC that includes graphics and trends with PAC Display

## Collect Data from Cloud Services, Databases, and Other PLCs

- Obtain weather data from a cloud service and then display it on the HMIs, all through Node-RED
- Create a communication path between your control program and a third-party PLC with Ignition Edge software
- Publish data or subscribe to data with MQTT/Sparkplug

## Computer Requirements

The *groov* EPIC processor does not require any special computer software or hardware, other than a web browser to access *groov* Manage and *groov* View.

The PAC Project Basic software has requirements listed in the Specifications tab of the product web page, [PACPROJECTBAS](#).

You can download the CODESYS Development System from the CODESYS Store. The computer requirements for this product are listed in the [System Requirements tab](#) of the CODESYS Development System V3 product page. You will also need to download the Opto 22 Library Package for CODESYS Development System, which is available on [www.opto22.com](http://www.opto22.com).

## LEARNING CENTER PRODUCT SUPPORT

Opto 22's free product support services are available to assist you with any problems relating to your work with the Learning Center. Call **(800) 832-6786** (toll-free in the U.S. and Canada) or **(951) 695-3080**, or email [support@opto22.com](mailto:support@opto22.com).

## PRODUCTS

Opto 22 develops and manufactures reliable, easy-to-use, open standards-based hardware and software products.

Industrial automation, process control, building automation, industrial refrigeration, remote monitoring, data acquisition, and industrial internet of things (IIoT) applications worldwide all rely on Opto 22.

### groov EPIC® System

Opto 22's *groov* Edge Programmable Industrial Controller (EPIC) system is the culmination of over 40 years of experience in designing products for the automation industry.

*groov* EPIC gives you an industrially hardened system with guaranteed-for-life I/O, a flexible Linux®-based controller with gateway functions, and software for your IIoT application or any application.

### groov EPIC I/O

I/O provides the local connection to sensors and equipment. *groov* I/O offers up to 24 channels on each I/O module, with a spring-clamp terminal strip, integrated wireway, and swing-away cover.

Opto 22 I/O is so reliable, we can afford to guarantee it for life. *groov* I/O is hot swappable, UL Hazardous Locations approved, and ATEX compliant.

### groov EPIC Processor

The heart of the system is the *groov* EPIC processor. It handles a wide range of digital, analog, and serial functions for data collection, remote monitoring, process control, and discrete and hybrid manufacturing.

In addition, the EPIC provides secure data communications among physical assets, control systems, software applications, online services, and more, both on premises and in the cloud.

Configuring and troubleshooting I/O and networking is easier with the EPIC's integrated high-resolution touchscreen. Authorized users can see your *groov* View HMI locally on the touchscreen or on a monitor connected via the HDMI or USB ports.

### groov EPIC Software

Software included in the *groov* EPIC controller:

- PAC Control engine to run PAC Control strategies and PAC Display projects
- CODESYS Runtime engine to run IEC61131-3 compliant programs built with CODESYS Development System

- Access to the Linux operating system through a secure shell (SSH) to download and run custom applications
- *groov* View for building and viewing your own device-independent HMI
- Node-RED for creating simple logic flows from pre-built nodes
- Ignition Edge® from Inductive Automation®, with OPC-UA drivers to Allen-Bradley®, Siemens®, and other control systems, and MQTT/Sparkplug communications for efficient IIoT data transfer

### Older products

From solid state relays (our first products) to world-famous G4 and SNAP I/O, to SNAP PAC controllers, Opto 22 products last a long time. You can count on us to give you the reliability and service you expect.

## QUALITY

Founded in 1974, Opto 22 has established a worldwide reputation for high-quality products. All are made in the U.S.A. at our manufacturing facility in Temecula, California.

Because we test each product twice before it leaves our factory rather than testing a sample of each batch, we can guarantee most solid-state relays and optically isolated I/O modules for life.



## FREE PRODUCT SUPPORT

Opto 22's California-based Product Support Group offers free, comprehensive technical support for Opto 22 products from engineers with decades of training and experience. Support is available in English and Spanish by phone or email, Monday–Friday, 7 a.m. to 5 p.m. PST.

Support is always available on our website, including online training, how-to videos, user's guides, the Opto 22 KnowledgeBase, troubleshooting tips, and OptoForums. In addition, free hands-on training is available at our Temecula, California headquarters, and you can [register online](#).

## PURCHASING OPTO 22 PRODUCTS

Opto 22 products are sold directly and through a worldwide network of distributors, partners, and system integrators. For more information, contact Opto 22 headquarters at **800-321-6786** (toll-free in the U.S. and Canada) or **+1-951-695-3000**, or visit our website at [www.opto22.com](http://www.opto22.com).