



Koła zębate


Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **8M**




10F




11F



11



12



16F

8M


podziałka: 8 mm

koła dla pasa o szerokości: 20 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0285	TL 22 8M 20	16F	St	22	1008	25	56,02	54,65	60	-	37	28	22	6	308	0,25
F0286	TL 24 8M 20	16F	St	24	1108	25	61,11	59,75	66	-	44	28	22	6	310	0,30
F0287	TL 26 8M 20	16F	St	26	1108	25	66,21	64,84	70	-	45	28	22	6	311	0,36
F0288	TL 28 8M 20	16F	St	28	1108	25	71,30	70,08	75	-	50	28	22	6	312	0,45
F0289	TL 30 8M 20	16F	St	30	1108	25	76,39	75,13	83	-	58	28	22	6	314	0,55
F0290	TL 32 8M 20	16F	St	32	1610	42	81,49	80,16	87	-	63	28	25	3	315	0,43
F0291	TL 34 8M 20	16F	St	34	1610	42	86,58	85,22	91	-	64	28	25	3	316	0,57
F0292	TL 36 8M 20	16F	St	36	1610	42	91,67	90,30	97	-	68	28	25	3	319	0,70
F0293	TL 38 8M 20	16F	St	38	1610	42	96,77	95,39	102	-	72	28	25	3	320	0,82
F0294	TL 40 8M 20	16F	St	40	1610	42	101,86	100,49	106	-	76	28	25	3	321	1,10
F0295	TL 44 8M 20	10F	St	44	2012	50	112,05	110,67	120	93	-	28	32	4	325	1,20
F0296	TL 48 8M 20	10F	St	48	2012	50	122,23	120,86	128	96	-	28	32	4	327	1,65
F0297	TL 56 8M 20	10F	St	56	2012	50	142,60	141,23	150	110	-	28	32	4	333	2,50
F0298	TL 64 8M 20	11F	St	64	2012	50	162,97	161,60	168	110	137	28	32	4	338	2,60
F0299	TL 72 8M 20	11F	St	72	2012	50	183,35	181,97	192	110	158	28	32	4	340	3,40
F0300	TL 80 8M 20	11	GG	80	2012	50	203,72	202,35	-	110	180	28	32	4	-	3,60
F0301	TL 90 8M 20	12	GG	90	2012	50	229,18	227,81	-	110	204	28	32	4	-	3,65
F0610	TL 144 8M 20	12	GG	144	2517	60	366,69	365,32	-	125	336	28	45	17	-	4,80

Koła zębate

Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **8M**



8M


podziałka: 8 mm

koła dla pasa o szerokości: 30 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0302	TL 22 8M 30	16F	St	22	1008	25	56,02	54,65	60	-	37	38	22	16	308	0,33
F0303	TL 24 8M 30	16F	St	24	1108	25	61,11	59,75	66	-	44	38	22	16	310	0,40
F0304	TL 26 8M 30	16F	St	26	1108	25	66,21	64,84	70	-	44	38	22	16	311	0,45
F0305	TL 28 8M 30	16F	St	28	1210	32	71,30	70,08	75	-	50	38	25	13	312	0,50
F0306	TL 30 8M 30	15F	St	30	1615	42	76,39	75,13	83	-	-	38	38	-	314	0,55
F0307	TL 32 8M 30	15F	St	32	1615	42	81,49	80,16	87	-	-	38	38	-	315	0,60
F0308	TL 34 8M 30	15F	St	34	1615	42	86,58	85,22	91	-	-	38	38	-	316	0,80
F0309	TL 36 8M 30	15F	St	36	1615	42	91,67	90,30	97	-	-	38	38	-	319	1,00
F0310	TL 38 8M 30	15F	St	38	1615	42	96,77	95,39	102	-	-	38	38	-	320	1,10
F0311	TL 40 8M 30	15F	St	40	1615	42	101,86	100,49	106	-	-	38	38	-	321	1,34
F0312	TL 44 8M 30	18F	St	44	2012	50	112,05	110,67	120	-	86	38	32	3	325	1,30
F0313	TL 48 8M 30	18F	St	48	2012	50	122,23	120,86	128	-	90	38	32	3	327	1,80
F0314	TL 56 8M 30	18F	St	56	2012	50	142,60	141,23	150	-	110	38	32	3	333	3,80
F0315	TL 64 8M 30	10F	St	64	2517	60	162,97	161,60	168	125	-	38	45	7	338	4,30
F0316	TL 72 8M 30	11F	St	72	2517	60	183,35	181,97	192	125	158	38	45	7	340	4,40
F0317	TL 80 8M 30	11	GG	80	2517	60	203,72	202,35	-	125	180	38	45	7	-	4,65
F0318	TL 90 8M 30	11	GG	90	2517	60	229,18	227,81	-	125	204	38	45	7	-	5,80
F0319	TL112 8M 30	12	GG	112	2517	60	285,21	283,83	-	125	254	38	45	7	-	6,20
F0320	TL144 8M 30	12	GG	144	2517	60	366,69	365,32	-	125	336	38	45	7	-	9,00

Koła zębate

Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **8M**



8M


podziałka: 8 mm

koła dla pasa o szerokości: 50 mm


kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0321	TL 28 8M 50	18F	St	28	1210	32	71,30	70,08	75	-	50	60	25	17,50	312	0,60
F0322	TL 30 8M 50	16F	St	30	1615	42	76,39	75,13	83	-	58	60	38	22,00	314	0,65
F0323	TL 32 8M 50	16F	St	32	1615	42	81,49	80,16	87	-	62	60	38	22,00	315	0,80
F0324	TL 34 8M 50	16F	St	34	1615	42	86,58	85,22	91	-	65	60	38	22,00	316	1,08
F0325	TL 36 8M 50	16F	St	36	1615	42	91,67	90,30	97	-	68	60	38	22,00	319	1,35
F0326	TL 38 8M 50	16F	St	38	1615	42	96,77	95,39	102	-	72	60	38	22,00	320	1,65
F0327	TL 40 8M 50	18F	St	40	2012	50	101,86	100,49	106	-	82	60	32	14,00	321	1,70
F0328	TL 44 8M 50	18F	St	44	2012	50	112,05	110,67	120	-	91	60	32	14,00	325	1,80
F0329	TL 48 8M 50	18F	St	48	2012	50	122,23	120,86	128	-	95	60	32	14,00	327	2,35
F0330	TL 56 8M 50	18F	St	56	2517	60	142,60	141,23	150	-	116	60	45	7,50	333	3,35
F0331	TL 64 8M 50	18F	St	64	2517	60	162,97	161,60	168	-	137	60	45	7,50	338	4,90
F0332	TL 72 8M 50	19F	St	72	2517	60	183,35	181,97	192	125	158	60	45	7,50	340	6,90
F0333	TL 80 8M 50	18	GG	80	3020	75	203,72	202,35	-	-	180	60	51	4,50	-	8,90
F0334	TL 90 8M 50	19	GG	90	3020	75	229,18	227,81	-	170	204	60	51	4,50	-	10,00
F0335	TL112 8M 50	19	GG	112	3020	75	285,21	283,83	-	170	260	60	51	4,50	-	12,00
F0336	TL144 8M 50	20	GG	144	3020	75	366,69	365,32	-	170	341	60	51	4,50	-	15,20
F0337	TL168 8M 50	14	GG	168	3525	90	427,81	426,44	-	198	402	60	65	2,50	-	17,50
F0338	TL192 8M 50	14	GG	192	3525	90	488,92	487,55	-	198	460	60	65	2,50	-	24,00

Koła zębate


Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **8M**




18F



18



19



20

8M

podziałka: 8 mm

koła dla pasa o szerokości: 85 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0339	TL 34 8M 85	18F	St	34	1615	42	86,58	85,22	91	-	65	95	38	28,50	316	1,50
F0340	TL 36 8M 85	18F	St	36	1615	42	91,67	90,30	97	-	68	95	38	28,50	319	1,90
F0341	TL 38 8M 85	18F	St	38	1615	42	96,77	95,39	102	-	72	95	38	28,50	320	2,20
F0342	TL 40 8M 85	18F	St	40	2012	50	101,86	100,49	106	-	82	95	32	31,50	321	1,90
F0343	TL 44 8M 85	18F	St	44	2012	50	112,05	110,67	120	-	91	95	32	31,50	325	2,30
F0344	TL 48 8M 85	18F	St	48	2517	60	122,23	120,86	128	-	100	95	45	25,00	327	2,70
F0345	TL 56 8M 85	18F	St	56	2517	60	142,60	141,23	150	-	117	95	45	25,00	333	4,50
F0346	TL 64 8M 85	18F	St	64	2517	60	162,97	161,60	168	-	137	95	45	25,00	338	6,30
F0347	TL 72 8M 85	18F	St	72	3020	75	183,35	181,97	192	-	158	95	51	22,00	340	8,10
F0348	TL 80 8M 85	18	GG	80	3020	75	203,72	202,35	-	-	180	95	51	22,00	-	10,20
F0349	TL 90 8M 85	19	GG	90	3020	75	229,18	227,81	-	170	204	95	51	22,00	-	10,80
F0350	TL112 8M 85	19	GG	112	3020	75	285,21	283,83	-	170	260	95	51	22,00	-	15,00
F0351	TL144 8M 85	20	GG	144	3525	90	366,69	365,32	-	198	336	95	65	15,00	-	20,00
F0352	TL168 8M 85	20	GG	168	3525	90	427,81	426,44	-	198	395	95	65	15,00	-	22,00
F0353	TL192 8M 85	20	GG	192	3525	90	488,92	487,55	-	198	455	95	65	15,00	-	26,00