



Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 1							
								A				B			
								25				15			
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0050	12	14	12	9	A	5*	0,01	A0086	48	50	48	30	A	10	0,25
A0051	13	15	13	10	A	5*	0,02	A0087	49	51	49	30	A	10	0,26
A0052	14	16	14	10	A	5*	0,02	A0088	50	52	50	30	A	12	0,26
A0053	15	17	15	12	A	6*	0,02	A0089	51	53	51	40	A	12	0,32
A0054	16	18	16	13	A	6*	0,03	A0090	52	54	52	40	A	12	0,33
A0055	17	19	17	14	A	8	0,03	A0091	53	55	53	40	A	12	0,33
A0056	18	20	18	15	A	8	0,03	A0092	54	56	54	40	A	12	0,34
A0057	19	21	19	15	A	8	0,04	A0093	55	57	55	40	A	12	0,36
A0058	20	22	20	16	A	8	0,04	A0094	56	58	56	40	A	12	0,37
A0059	21	23	21	16	A	8	0,05	A0095	57	59	57	40	A	12	0,38
A0060	22	24	22	18	A	8	0,05	A0096	58	60	58	40	A	12	0,39
A0061	23	25	23	18	A	8	0,06	A0097	59	61	59	40	A	12	0,40
A0062	24	26	24	20	A	8	0,06	A0098	60	62	60	40	A	12	0,41
A0063	25	27	25	20	A	8	0,07	A0099	61	63	61	50	A	12	0,47
A0064	26	28	26	20	A	8	0,07	A0100	62	64	62	50	A	12	0,49
A0065	27	29	27	20	A	8	0,08	A0101	63	65	63	50	A	12	0,50
A0066	28	30	28	20	A	8	0,08	A0102	64	66	64	50	A	12	0,51
A0067	29	31	29	20	A	8	0,09	A0103	65	67	65	50	A	12	0,52
A0068	30	32	30	20	A	8	0,09	A0104	66	68	66	50	A	12	0,53
A0069	31	33	31	25	A	10	0,11	A0105	67	69	67	50	A	12	0,55
A0070	32	34	32	25	A	10	0,12	A0106	68	70	68	50	A	12	0,56
A0071	33	35	33	25	A	10	0,12	A0107	69	71	69	50	A	12	0,57
A0072	34	36	34	25	A	10	0,13	A0108	70	72	70	50	A	12	0,58
A0073	35	37	35	25	A	10	0,14	A0109	72	74	72	-	B	12	0,46
A0074	36	38	36	25	A	10	0,14	A0110	75	77	75	-	B	12	0,51
A0075	37	39	37	25	A	10	0,15	A0111	76	78	76	-	B	12	0,52
A0076	38	40	38	25	A	10	0,16	A0112	80	82	80	-	B	12	0,58
A0077	39	41	39	25	A	10	0,16	A0113	85	87	85	-	B	12	0,65
A0078	40	42	40	25	A	10	0,17	A0114	90	92	90	-	B	12	0,73
A0079	41	43	41	30	A	10	0,19	A0115	95	97	95	-	B	12	0,82
A0080	42	44	42	30	A	10	0,20	A0116	100	102	100	-	B	12	0,91
A0081	43	45	43	30	A	10	0,21	A0117	110	112	110	-	B	12	1,10
A0082	44	46	44	30	A	10	0,22	A0118	114	116	114	-	B	12	1,19
A0083	45	47	45	30	A	10	0,23	A0119	120	122	120	-	B	12	1,32
A0084	46	48	46	30	A	10	0,23	A0120	127	129	127	-	B	12	1,47
A0085	47	49	47	30	A	10	0,24								

Koła z=72, z=75, z=76, z=80, z=90, z=100 na zapytanie dostępne również w wersji z piastą.
 Koła z=12 do z=16 występują również w wersji bez otworów (z nakiełkami). Szczegóły u handlowców.


Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 1,5							
								A		B					
								30		17					
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0121	12	21,00	18,00	14	A	8	0,04	A0157	48	75,00	72,00	50	A	14	0,70
A0122	13	22,50	19,50	14	A	8	0,05	A0158	49	76,50	73,50	50	A	14	0,73
A0123	14	24,00	21,00	18	A	8	0,06	A0159	50	78,00	75,00	50	A	14	0,76
A0124	15	25,50	22,50	18	A	8	0,07	A0160	51	79,50	76,50	60	A	15	0,86
A0125	16	27,00	24,00	20	A	8	0,08	A0161	52	81,00	78,00	60	A	15	0,89
A0126	17	28,50	25,50	20	A	8	0,09	A0162	53	82,50	79,50	60	A	15	0,91
A0127	18	30,00	27,00	20	A	8	0,10	A0163	54	84,00	81,00	60	A	15	0,94
A0128	19	31,50	28,50	20	A	8	0,10	A0164	55	85,50	82,50	60	A	15	0,96
A0129	20	33,00	30,00	25	A	8	0,13	A0165	56	87,00	84,00	60	A	15	0,98
A0130	21	34,50	31,50	25	A	10	0,13	A0166	57	88,50	85,50	60	A	15	1,00
A0131	22	36,00	33,00	25	A	10	0,14	A0167	58	90,00	87,00	60	A	15	1,03
A0132	23	37,50	34,50	25	A	10	0,16	A0168	59	91,50	88,50	60	A	15	1,06
A0133	24	39,00	36,00	25	A	10	0,17	A0169	60	93,00	90,00	60	A	15	1,09
A0134	25	40,50	37,50	25	A	10	0,18	A0170	61	94,50	91,50	70	A	20	1,22
A0135	26	42,00	39,00	30	A	12	0,20	A0171	62	96,00	93,00	70	A	20	1,25
A0136	27	43,50	40,50	30	A	12	0,22	A0172	63	97,50	94,50	70	A	20	1,28
A0137	28	45,00	42,00	30	A	12	0,23	A0173	64	99,00	96,00	70	A	20	1,31
A0138	29	46,50	43,50	30	A	12	0,24	A0174	65	100,50	97,50	70	A	20	1,34
A0139	30	48,00	45,00	30	A	12	0,26	A0175	66	102,00	99,00	70	A	20	1,37
A0140	31	49,50	46,50	35	A	12	0,30	A0176	67	103,50	100,50	70	A	20	1,40
A0141	32	51,00	48,00	35	A	12	0,31	A0177	68	105,00	102,00	70	A	20	1,43
A0142	33	52,50	49,50	35	A	12	0,33	A0178	69	106,50	103,50	70	A	20	1,46
A0143	34	54,00	51,00	35	A	12	0,34	A0179	70	108,00	105,00	70	A	20	1,50
A0144	35	55,50	52,50	35	A	12	0,36	A0180	72	111,00	108,00	-	B	20	1,19
A0145	36	57,00	54,00	35	A	12	0,37	A0181	75	115,50	112,50	-	B	20	1,30
A0146	37	58,50	55,50	40	A	12	0,42	A0182	76	117,00	114,00	-	B	20	1,33
A0147	38	60,00	57,00	40	A	12	0,44	A0183	80	123,00	120,00	-	B	20	1,48
A0148	39	61,50	58,50	40	A	12	0,46	A0184	85	130,50	127,50	-	B	20	1,67
A0149	40	63,00	60,00	40	A	12	0,48	A0185	90	138,00	135,00	-	B	20	1,88
A0150	41	64,50	61,50	50	A	14	0,50	A0186	95	145,50	142,50	-	B	20	2,09
A0151	42	66,00	63,00	50	A	14	0,59	A0187	100	153,00	150,00	-	B	20	2,32
A0152	43	67,50	64,50	50	A	14	0,61	A0188	110	168,00	165,00	-	B	20	2,82
A0153	44	69,00	66,00	50	A	14	0,63	A0189	114	174,00	171,00	-	B	20	3,03
A0154	45	70,50	67,50	50	A	14	0,65	A0190	120	183,00	180,00	-	B	20	3,36
A0155	46	72,00	69,00	50	A	14	0,66	A0191	127	193,50	190,50	-	B	20	3,77
A0156	47	73,50	70,50	50	A	14	0,70								

*Koła z=72, z=75 dostępne również w wersji z piastą.


Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 2							A	B
															35	20
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]	
A0192	12	28	24	18	A	10	0,08	A0228	48	100	96	70	A	16	1,53	
A0193	13	30	26	19	A	10	0,10	A0229	49	102	98	70	A	16	1,57	
A0194	14	32	28	20	A	10	0,12	A0230	50	104	100	70	A	16	1,62	
A0195	15	34	30	22	A	10	0,14	A0231	51	106	102	70	A	20	1,67	
A0196	16	36	32	24	A	10	0,16	A0232	52	108	104	70	A	20	1,72	
A0197	17	38	34	25	A	10	0,18	A0233	53	110	106	70	A	20	1,78	
A0198	18	40	36	25	A	10	0,19	A0234	54	112	108	70	A	20	1,83	
A0199	19	42	38	25	A	10	0,21	A0235	55	114	110	70	A	20	1,88	
A0200	20	44	40	30	A	10	0,26	A0236	56	116	112	70	A	20	1,94	
A0201	21	46	42	30	A	12	0,27	A0237	57	118	114	70	A	20	1,99	
A0202	22	48	44	30	A	12	0,29	A0238	58	120	116	70	A	20	2,05	
A0203	23	50	46	30	A	12	0,31	A0239	59	122	118	70	A	20	2,11	
A0204	24	52	48	35	A	12	0,36	A0240	60	124	120	70	A	20	2,16	
A0205	25	54	50	35	A	12	0,39	A0241	61	126	122	80	A	20	2,36	
A0206	26	56	52	40	A	12	0,45	A0242	62	128	124	80	A	20	2,42	
A0207	27	58	54	40	A	12	0,47	A0243	63	130	126	80	A	20	2,48	
A0208	28	60	56	40	A	12	0,50	A0244	64	132	128	80	A	20	2,55	
A0209	29	62	58	40	A	14	0,52	A0245	65	134	130	80	A	20	2,61	
A0210	30	64	60	40	A	14	0,55	A0246	66	136	132	80	A	20	2,67	
A0211	31	66	62	45	A	14	0,61	A0247	67	138	134	80	A	20	2,74	
A0212	32	68	64	45	A	14	0,65	A0248	68	140	136	80	A	20	2,81	
A0213	33	70	66	45	A	14	0,68	A0249	69	142	138	80	A	20	2,87	
A0214	34	72	68	45	A	14	0,71	A0250	70	144	140	80	A	20	2,94	
A0215	35	74	70	45	A	14	0,74	A0251	72	148	144	-	B	20	2,50	
A0216	36	76	72	45	A	14	0,78	A0252	75	154	150	-	B	20	2,71	
A0217	37	78	74	50	A	14	0,86	A0253	76	156	152	-	B	20	2,79	
A0218	38	80	76	50	A	14	0,90	A0254	80	164	160	-	B	20	3,09	
A0219	39	82	78	50	A	14	0,93	A0255	85	174	170	-	B	20	3,50	
A0220	40	84	80	50	A	14	0,97	A0256	90	184	180	-	B	20	3,93	
A0221	41	86	82	60	A	16	1,05	A0257	95	194	190	-	B	20	4,39	
A0222	42	88	84	60	A	16	1,09	A0258	100	204	200	-	B	20	4,87	
A0223	43	90	86	60	A	16	1,13	A0259	110	224	220	-	B	20	5,90	
A0224	44	92	88	60	A	16	1,23	A0260	114	232	228	-	B	20	6,34	
A0225	45	94	90	60	A	16	1,27	A0261	120	244	240	-	B	20	7,03	
A0226	46	96	92	60	A	16	1,31	A0262	127	258	254	-	B	20	7,89	
A0227	47	98	94	60	A	16	1,48									

*Koła z=72, z=75 dostępne również w wersji z piastą.


Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 2,5							
								A				B			
								40				25			
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0263	12	35,00	30,00	22	A	10	0,17	A0295	44	115,00	110,00	70	A	20	2,38
A0264	13	37,50	32,50	25	A	10	0,21	A0296	45	117,50	112,50	70	A	20	2,47
A0265	14	40,00	35,00	28	A	10	0,25	A0297	46	120,00	115,00	70	A	20	2,52
A0266	15	42,50	37,50	30	A	10	0,30	A0298	47	122,50	117,50	80	A	20	2,80
A0267	16	45,00	40,00	32	A	12	0,33	A0299	48	125,00	120,00	80	A	20	2,88
A0268	17	47,50	42,50	35	A	12	0,38	A0300	49	127,50	122,50	80	A	20	2,98
A0269	18	50,00	45,00	35	A	12	0,42	A0301	50	130,00	125,00	80	A	20	3,07
A0270	19	52,50	47,50	35	A	12	0,45	A0302	51	132,50	127,50	90	A	20	3,17
A0271	20	55,00	50,00	40	A	14	0,54	A0303	52	135,00	130,00	90	A	20	3,48
A0272	21	57,50	52,50	40	A	14	0,56	A0304	53	137,50	132,50	90	A	20	3,58
A0273	22	60,00	55,00	45	A	14	0,66	A0305	54	140,00	135,00	90	A	20	3,68
A0274	23	62,50	57,50	45	A	14	0,70	A0306	55	142,50	137,50	90	A	20	3,78
A0275	24	65,00	60,00	45	A	14	0,74	A0307	56	145,00	140,00	100	A	20	4,13
A0276	25	67,50	62,50	50	A	14	0,85	A0308	57	147,50	142,50	100	A	20	4,23
A0277	26	70,00	65,00	50	A	14	0,90	A0309	58	150,00	145,00	100	A	20	4,34
A0278	27	72,50	67,50	50	A	14	0,95	A0310	59	152,50	147,50	100	A	20	4,46
A0279	28	75,00	70,00	50	A	14	1,00	A0311	60	155,00	150,00	100	A	20	4,57
A0280	29	77,50	72,50	50	A	14	1,06	A0312	65	167,50	162,50	-	B	20	3,99
A0281	30	80,00	75,00	55	A	16	1,18	A0313	70	180,00	175,00	-	B	20	4,64
A0282	31	82,50	77,50	55	A	16	1,22	A0314	72	185,00	180,00	-	B	20	4,91
A0283	32	85,00	80,00	55	A	16	1,28	A0315	75	192,50	187,50	-	B	20	5,33
A0284	33	87,50	82,50	55	A	16	1,34	A0316	76	195,00	190,00	-	B	20	5,48
A0285	34	90,00	85,00	55	A	16	1,41	A0317	80	205,00	200,00	-	B	25	6,04
A0286	35	92,50	87,50	60	A	16	1,54	A0318	85	217,50	212,50	-	B	25	6,84
A0287	36	95,00	90,00	60	A	16	1,61	A0319	90	230,00	225,00	-	B	25	7,68
A0288	37	97,50	92,50	60	A	16	1,68	A0320	95	242,50	237,50	-	B	25	8,57
A0289	38	100,00	95,00	60	A	16	1,75	A0321	100	255,00	250,00	-	B	25	9,51
A0290	39	102,50	97,50	60	A	16	1,83	A0322	110	280,00	275,00	-	B	25	11,53
A0291	40	105,00	100,00	70	A	20	2,06	A0323	114	290,00	285,00	-	B	25	12,39
A0292	41	107,50	102,50	70	A	20	2,14	A0324	120	305,00	300,00	-	B	25	13,74
A0293	42	110,00	105,00	70	A	20	2,22	A0325	127	322,50	317,50	-	B	25	15,40
A0294	43	112,50	107,50	70	A	20	2,30								

*Koła z=62, z=63, z=65, z=67, z=70 na zapytanie dostępne również w wersji z piastą.


Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 3							
								A				B			
								50				30			
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0326	12	42	36	25	A	12	0,28	A0354	40	126	120	80	A	20	3,31
A0327	13	45	39	25	A	12	0,34	A0355	41	129	123	90	A	20	3,44
A0328	14	48	42	30	A	12	0,41	A0356	42	132	126	90	A	20	3,58
A0329	15	51	45	35	A	12	0,47	A0357	43	135	129	90	A	20	3,72
A0330	16	54	48	38	A	15	0,54	A0358	44	138	132	90	A	20	4,07
A0331	17	57	51	42	A	15	0,63	A0359	45	141	135	90	A	20	4,22
A0332	18	60	54	45	A	15	0,72	A0360	46	144	138	90	A	20	4,37
A0333	19	63	57	45	A	15	0,78	A0361	47	147	141	90	A	20	4,76
A0334	20	66	60	45	A	15	0,84	A0362	48	150	144	100	A	20	4,92
A0335	21	69	63	45	A	15	0,89	A0363	50	156	150	-	B	20	4,06
A0336	22	72	66	50	A	15	1,02	A0364	52	162	156	-	B	20	4,40
A0337	23	75	69	50	A	15	1,10	A0365	55	171	165	-	B	20	4,93
A0338	24	78	72	50	A	16	1,18	A0366	57	177	171	-	B	20	5,30
A0339	25	81	75	60	A	16	1,39	A0367	60	186	180	-	B	20	5,89
A0340	26	84	78	60	A	16	1,48	A0368	65	201	195	-	B	20	6,92
A0341	27	87	81	60	A	16	1,56	A0369	70	216	210	-	B	25	8,00
A0342	28	90	84	60	A	16	1,66	A0370	72	222	216	-	B	25	8,47
A0343	29	93	87	60	A	16	1,75	A0371	75	231	225	-	B	25	9,21
A0344	30	96	90	60	A	16	1,85	A0372	76	234	228	-	B	25	9,46
A0345	31	99	93	70	A	20	1,95	A0373	80	246	240	-	B	25	10,49
A0346	32	102	96	70	A	20	2,21	A0374	85	261	255	-	B	25	11,86
A0347	33	105	99	70	A	20	2,32	A0375	90	276	270	-	B	25	13,32
A0348	34	108	102	70	A	20	2,43	A0376	95	291	285	-	B	25	14,86
A0349	35	111	105	70	A	20	2,55	A0377	100	306	300	-	B	25	16,48
A0350	36	114	108	70	A	20	2,62	A0378	110	336	320	-	B	25	19,97
A0351	37	117	111	80	A	20	2,74	A0379	114	348	342	-	B	30	21,40
A0352	38	120	114	80	A	20	3,05	A0380	120	366	360	-	B	30	23,74
A0353	39	123	117	80	A	20	3,18	A0381	127	387	381	-	B	30	26,61

*Koła z=50, z=54, z=55, z=56, z=57, z=60, z=62, z=65 na zapytanie dostępne również w wersji z piastą.


Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1								Moduł 4							
								A				B			
								60				40			
kod	Z	de	dp	dm	wyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0382	12	56	48	35	A	14	0,63	A0405	35	148	140	80	A	20	5,43
A0383	13	60	52	40	A	14	0,78	A0406	36	152	144	80	A	20	5,63
A0384	14	64	56	45	A	14	0,93	A0407	38	160	152	-	B	25	5,20
A0385	15	68	60	45	A	14	1,05	A0408	40	168	160	-	B	25	6,11
A0386	16	72	64	50	A	15	1,20	A0409	45	188	180	-	B	25	7,78
A0387	17	76	68	50	A	15	1,33	A0410	48	200	192	-	B	25	8,87
A0388	18	80	72	50	A	15	1,47	A0411	50	208	200	-	B	25	9,65
A0389	19	84	76	60	A	15	1,75	A0412	52	216	208	-	B	25	10,45
A0390	20	88	80	60	A	15	1,90	A0413	55	228	220	-	B	25	11,71
A0391	21	92	84	70	A	20	2,22	A0414	57	236	228	-	B	25	12,59
A0392	22	96	88	70	A	20	2,39	A0415	60	248	240	-	B	25	13,97
A0393	23	100	92	75	A	20	2,60	A0416	65	268	260	-	B	25	16,43
A0394	24	104	96	75	A	20	2,79	A0417	70	288	280	-	B	25	19,09
A0395	25	108	100	75	A	20	2,98	A0418	75	308	300	-	B	25	21,94
A0396	26	112	104	75	A	20	3,18	A0419	76	312	304	-	B	30	22,47
A0397	27	116	108	75	A	20	3,39	A0420	80	328	320	-	B	30	24,93
A0398	28	120	112	75	A	20	3,60	A0421	85	348	340	-	B	30	28,18
A0399	29	124	116	75	A	20	3,83	A0422	90	368	360	-	B	30	31,62
A0400	30	128	120	75	A	20	4,06	A0423	95	388	380	-	B	30	35,26
A0401	31	132	124	80	A	20	4,39	A0424	100	408	400	-	B	30	39,11
A0402	32	136	128	80	A	20	4,64	A0425	110	448	440	-	B	30	47,38
A0403	33	140	132	80	A	20	4,90	A0426	114	464	456	-	B	30	50,91
A0404	34	144	136	80	A	20	5,16								

*Koła z=38, z=39, z=40, z=45, z=48, z=50, z=60, z=65 na zapytanie dostępne również w wersji z piastą.

Koła modułowe



Materiał: stal C 45 E UNI EN 10083-1

Moduł 5		A 75	B 50	Moduł 6		A 80	B 60			A 80	B 60				
kod	Z	de	dp	dm	Bwyk	D1	[kg]	kod	Z	de	dp	dm	wyk	D1	[kg]
A0427	12	70	60	45	A	16	1,21	A0468	12	84	72	54	A	20	1,82
A0428	13	75	65	50	A	16	1,47	A0469	14	96	84	65	A	20	2,20
A0429	14	80	70	55	A	20	1,76	A0470	15	102	90	70	A	20	3,01
A0430	15	85	75	60	A	20	2,07	A0471	16	108	96	75	A	20	3,46
A0431	16	90	80	65	A	20	2,40	A0472	18	120	108	80	A	20	4,33
A0432	17	95	85	70	A	20	2,75	A0473	20	132	120	90	A	20	5,43
A0433	18	100	90	70	A	20	3,02	A0474	24	156	144	110	A	25	7,88
A0434	19	105	95	70	A	20	3,30	A0475	25	162	150	110	A	25	8,42
A0435	20	110	100	80	A	20	3,83	A0477	30	192	180	-	B	25	9,69
A0436	21	115	105	80	A	20	4,15	A0478	32	204	192	-	B	25	11,05
A0437	22	120	110	80	A	25	4,48	A0480	38	240	228	-	B	25	15,69
A0438	23	125	115	90	A	25	5,08	A0481	40	252	240	-	B	25	17,42
A0439	24	130	120	90	A	25	5,44				*Koła z=23, z=30, z=38, z=40, na zapytanie dostępne również w wersji z piastą.				
A0440	25	135	125	90	A	25	5,82								
A0441	26	140	130	100	A	25	6,50								
A0442	27	145	135	100	A	25	6,91								
A0443	28	150	140	100	A	25	7,22								
A0444	29	155	145	100	A	25	7,98								
A0445	30	160	150	100	A	25	8,44								
A0446	32	170	160	-	B	25	7,62								
A0447	35	185	175	-	B	25	9,16								
A0448	38	200	190	-	B	30	10,84								
A0449	40	210	200	-	B	30	12,04								
A0450	45	235	225	-	B	30	15,30								
A0451	48	250	240	-	B	30	17,44								
A0452	50	260	250	-	B	30	18,86								
A0453	52	270	260	-	B	30	20,43								
A0454	55	285	275	-	B	30	22,89								
A0455	57	295	285	-	B	30	24,62								
A0456	60	310	300	-	B	30	27,31								
A0457	65	335	325	-	B	30	32,12								
A0458	70	360	350	-	B	30	37,31								
A0459	75	385	375	-	B	30	42,88								
A0460	76	390	380	-	B	30	44,04								
A0461	80	410	400	-	B	30	48,84								
A0462	85	435	425	-	B	30	55,19								
A0463	90	460	450	-	B	30	61,92								
A0464	95	485	475	-	B	30	69,03								
A0465	100	510	500	-	B	30	76,53								
A0466	110	560	550	-	B	30	92,69								
A0467	114	580	570	-	B	30	99,59								

*Koła z=32, z=36, z=38, z=40, z=42, z=55, z=60 na zapytanie dostępne również w wersji z piastą.