




Koła zębate

Koła zębate o podziółce stalowej H

ISO 5294



H 075

podziółka: 1/2" (12,7 mm)


koła dla pasa o szerokości: 3/4" (19,05 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0160	14 H 075	2F	St	14	56,59	55,22	64	40	26,40	40	8	309	0,59
M0161	15 H 075	2F	St	15	60,64	59,27	66	45	26,40	40	8	310	0,65
M0162	16 H 075	2F	St	16	64,68	63,31	70	45	26,40	40	8	311	0,70
M0163	17 H 075	2F	St	17	68,72	67,35	75	45	26,40	40	8	312	0,73
M0164	18 H 075	2F	St	18	72,77	71,39	79	55	26,40	40	11	313	1,91
M0165	19 H 075	2F	St	19	76,81	75,44	83	60	26,40	40	11	314	1,08
M0166	20 H 075	2F	St	20	80,85	79,48	87	62	26,40	40	11	315	1,18
M0167	21 H 075	2F	St	21	84,89	83,52	91	65	26,40	40	11	316	1,30
M0168	22 H 075	2F	St	22	88,94	87,56	93	68	26,40	40	11	317	1,42
M0169	23 H 075	2F	St	23	92,98	91,61	97	72	26,40	40	11	318	1,67
M0170	24 H 075	2F	St	24	97,03	95,65	102	72	26,40	40	11	320	1,71
M0171	25 H 075	2F	St	25	101,06	99,69	106	72	26,40	40	11	321	1,87
M0172	26 H 075	2F	St	26	105,11	103,73	112	80	26,40	40	11	322	2,00
M0173	27 H 075	2F	St	27	109,15	107,78	115	80	26,40	40	11	323	2,10
M0174	28 H 075	2F	St	28	113,19	111,82	120	80	26,40	40	11	325	2,26
M0739	29 H 075	2F	St	29	117,23	115,86	123	80	26,40	40	11	-	2,49
M0175	30 H 075	2F	St	30	121,29	119,90	128	80	26,40	40	11	327	2,70
M0176	32 H 075	2F	St	32	129,36	127,99	135	80	26,40	40	11	328	2,85
M0177	33 H 075	2F	St	33	133,40	132,03	140	80	26,40	40	11	330	3,10
M0178	34 H 075	2F	St	34	137,45	136,07	142	80	26,40	40	11	331	3,30
M0179	35 H 075	2F	St	35	141,49	140,12	150	80	26,40	40	11	333	3,50
M0180	36 H 075	3F	St	36	145,53	144,16	150	80	26,40	40	11	334	3,65
M0181	38 H 075	3F	St	38	153,62	152,24	158	80	26,40	40	11	335	3,90
M0182	40 H 075	3F	St	40	161,70	160,33	168	80	26,40	40	11	338	4,23
M0740	42 H 075	3F	St	42	169,79	168,41	175	80	26,40	40	11	-	4,80
M0183	44 H 075	3F	GG	44	177,87	176,50	184	80	26,40	40	14	339	5,20
M0741	45 H 075	3F	GG	45	181,91	180,54	192	80	26,40	40	14	-	5,45
M0184	48 H 075	3F	GG	48	194,04	192,67	200	90	26,40	45	14	342	4,30
M0742	49 H 075	3	GG	49	198,08	196,71	-	90	26,40	45	14	-	4,50
M0185	50 H 075	3	GG	50	202,13	200,75	-	90	26,40	45	14	-	4,66

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 100


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 1" (25,4 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0186	14 H 100	2F	St	14	56,59	55,22	64	45	31,80	45	11	309	0,67
M0187	15 H 100	2F	St	15	60,64	59,27	66	45	31,80	45	11	310	0,77
M0188	16 H 100	2F	St	16	64,68	63,31	70	45	31,80	45	11	311	0,88
M0189	17 H 100	2F	St	17	68,72	67,35	75	45	31,80	45	11	312	0,88
M0190	18 H 100	2F	St	18	72,77	71,39	79	55	31,80	45	14	313	1,06
M0191	19 H 100	2F	St	19	76,81	75,44	83	60	31,80	45	14	314	1,23
M0192	20 H 100	2F	St	20	80,85	79,48	87	62	31,80	45	14	315	1,33
M0193	21 H 100	2F	St	21	84,89	83,52	91	65	31,80	45	14	316	1,43
M0194	22 H 100	2F	St	22	88,94	87,56	93	68	31,80	45	14	317	1,63
M0195	23 H 100	2F	St	23	92,98	91,61	97	72	31,80	45	14	318	1,85
M0196	24 H 100	2F	St	24	97,03	95,65	102	72	31,80	45	14	320	1,93
M0197	25 H 100	2F	St	25	101,06	99,69	106	72	31,80	45	14	321	2,07
M0198	26 H 100	2F	St	26	105,11	103,73	112	80	31,80	45	14	322	2,30
M0199	27 H 100	2F	St	27	109,15	107,78	115	80	31,80	45	14	323	2,40
M0200	28 H 100	2F	St	28	113,19	111,82	120	80	31,80	45	14	325	2,53
M0201	29 H 100	2F	St	29	117,23	115,86	123	80	31,80	45	14	326	2,70
M0202	30 H 100	2F	St	30	121,29	119,90	128	80	31,80	45	14	327	2,93
M0203	32 H 100	2F	St	32	129,36	127,99	135	80	31,80	45	14	328	3,06
M0204	33 H 100	2F	St	33	133,40	132,03	140	80	31,80	45	14	330	3,40
M0205	34 H 100	2F	St	34	137,45	136,07	142	80	31,80	45	14	331	3,57
M0206	35 H 100	2F	St	35	141,49	140,12	150	80	31,80	45	14	333	3,80
M0207	36 H 100	3F	St	36	145,53	144,16	150	80	31,80	45	14	334	3,92
M0208	38 H 100	3F	St	38	153,62	152,24	158	80	31,80	45	14	335	4,40

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 100


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 1" (25,4 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0209	40 H 100	3F	St	40	161,70	160,33	168	80	31,80	45	14	338	4,95
M0743	42 H 100	3F	St	42	169,79	168,41	175	80	31,80	45	14	-	5,60
M0210	44 H 100	3F	GG	44	177,87	176,50	184	80	31,80	50	14	339	6,20
M0211	45 H 100	3F	GG	45	181,91	180,54	192	80	31,80	50	14	340	6,45
M0212	48 H 100	3F	GG	48	194,04	192,67	200	90	31,80	50	14	342	5,30
M0744	49 H 100	3	GG	49	198,08	196,71	-	90	31,80	50	19	-	5,40
M0213	50 H 100	3	GG	50	202,13	200,75	-	90	31,80	50	19	-	5,50
M0214	52 H 100	3	GG	52	210,21	208,84	-	90	31,80	50	19	-	5,80
M0215	58 H 100	4	GG	58	234,47	233,09	-	90	31,80	50	19	-	6,20
M0216	60 H 100	4	GG	60	242,55	241,18	-	90	31,80	50	19	-	7,50
M0217	70 H 100	4	GG	70	282,98	281,61	-	100	31,80	55	19	-	8,20
M0218	72 H 100	4	GG	72	291,06	289,69	-	100	31,80	55	19	-	9,00
M0745	82 H 100	4	GG	82	331,49	330,12	-	100	31,80	55	19	-	9,20
M0219	84 H 100	4	GG	84	339,57	338,20	-	100	31,80	55	19	-	10,00
M0746	94 H 100	4	GG	94	380,00	378,63	-	120	31,80	60	19	-	13,00
M0220	96 H 100	4	GG	96	388,08	386,71	-	120	31,80	60	19	-	13,80
M0747	106 H 100	4	GG	106	428,51	427,14	-	120	31,80	60	19	-	15,50
M0748	116 H 100	4	GG	116	468,93	467,56	-	120	31,80	60	19	-	18,00
M0749	118 H 100	4	GG	118	477,02	475,65	-	120	31,80	60	19	-	20,00
M0221	120 H 100	4	GG	120	485,10	483,73	-	120	31,80	60	19	-	22,00
M0750	150 H 100	4	GG	150	606,38	605,01	-	120	31,80	60	19	-	25,00
M0751	152 H 100	4	GG	152	614,47	613,09	-	120	31,80	60	19	-	26,00
M0752	154 H 100	4	GG	154	622,55	621,18	-	120	31,80	60	19	-	27,00
M0753	156 H 100	4	GG	156	630,64	629,26	-	120	31,80	60	19	-	28,00

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294




H 150 podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 1"1/2 (38,1 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0222	14 H 150	2F	St	14	56,59	55,22	64	42	46,00	58	11	309	0,91
M0223	15 H 150	2F	St	15	60,64	59,27	66	45	46,00	58	11	310	0,99
M0224	16 H 150	2F	St	16	64,68	63,31	70	45	46,00	58	11	311	1,08
M0225	17 H 150	2F	St	17	68,72	67,35	75	45	46,00	58	11	312	1,15
M0226	18 H 150	2F	St	18	72,77	71,39	79	55	46,00	58	14	313	1,45
M0227	19 H 150	2F	St	19	76,81	75,44	83	60	46,00	58	14	314	1,55
M0228	20 H 150	2F	St	20	80,85	79,48	87	62	46,00	58	14	315	1,66
M0229	21 H 150	2F	St	21	84,89	83,52	91	65	46,00	58	14	316	1,87
M0230	22 H 150	2F	St	22	88,94	87,56	93	68	46,00	58	14	317	2,07
M0231	23 H 150	2F	St	23	92,98	91,61	97	72	46,00	58	14	318	2,28
M0232	24 H 150	2F	St	24	97,03	95,65	102	72	46,00	58	14	320	2,50
M0233	25 H 150	2F	St	25	101,06	99,69	106	72	46,00	58	14	321	2,71
M0234	26 H 150	2F	St	26	105,11	103,73	112	80	46,00	58	14	322	2,99
M0235	27 H 150	2F	St	27	109,15	107,78	115	80	46,00	58	14	323	3,15
M0236	28 H 150	2F	St	28	113,19	111,82	120	80	46,00	58	14	325	3,39
M0237	29 H 150	2F	St	29	117,23	115,86	123	80	46,00	58	14	326	3,57
M0238	30 H 150	2F	St	30	121,29	119,90	128	80	46,00	58	14	327	3,86
M0239	32 H 150	2F	St	32	129,36	127,99	135	80	46,00	58	14	328	4,37
M0240	33 H 150	2F	St	33	133,40	132,03	140	80	46,00	58	14	330	4,66
M0241	34 H 150	2F	St	34	137,45	136,07	142	80	46,00	58	14	331	4,98
M0242	35 H 150	2F	St	35	141,49	140,12	150	80	46,00	58	14	333	5,30
M0243	36 H 150	3F	St	36	145,53	144,16	150	80	46,00	58	14	334	5,50
M0244	38 H 150	3F	St	38	153,62	152,24	158	80	46,00	58	14	335	6,10

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 150


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 1"1/2 (38,1 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0245	40 H 150	3F	St	40	161,70	160,33	168	80	46,00	58	14	338	6,80
M0754	42 H 150	3F	St	42	169,79	168,41	175	80	46,00	58	19	-	7,60
M0246	44 H 150	3F	GG	44	177,87	176,50	184	80	46,00	58	19	339	8,50
M0247	45 H 150	3F	GG	45	181,91	180,54	192	80	46,00	58	19	340	9,00
M0248	48 H 150	3F	GG	48	194,04	192,67	200	90	46,00	65	19	342	6,70
M0755	49 H 150	3	GG	49	198,08	196,71	-	90	46,00	65	19	-	7,00
M0249	50 H 150	3	GG	50	202,13	200,75	-	90	46,00	65	19	-	7,10
M0250	52 H 150	3	GG	52	210,21	208,84	-	90	46,00	65	19	-	7,30
M0251	58 H 150	4	GG	58	234,47	233,09	-	90	46,00	65	19	-	8,10
M0252	60 H 150	4	GG	60	242,55	241,18	-	90	46,00	65	19	-	9,00
M0253	70 H 150	4	GG	70	282,98	281,61	-	100	46,00	65	24	-	10,50
M0254	72 H 150	4	GG	72	291,06	289,69	-	100	46,00	65	24	-	11,00
M0756	82 H 150	4	GG	82	331,49	330,12	-	100	46,00	65	24	-	12,00
M0255	84 H 150	4	GG	84	339,57	338,20	-	100	46,00	65	24	-	13,00
M0757	94 H 150	4	GG	94	380,00	378,63	-	120	46,00	65	24	-	16,00
M0256	96 H 150	4	GG	96	388,08	386,71	-	120	46,00	65	24	-	17,00
M0758	106 H 150	4	GG	106	428,51	427,14	-	120	46,00	65	24	-	19,50
M0759	116 H 150	4	GG	116	468,93	467,56	-	120	46,00	65	24	-	22,00
M0760	118 H 150	4	GG	118	477,02	475,65	-	120	46,00	65	24	-	23,50
M0257	120 H 150	4	GG	120	485,10	483,73	-	120	46,00	65	24	-	25,00
M0761	150 H 150	4	GG	150	606,38	605,01	-	120	46,00	65	24	-	31,50
M0762	152 H 150	4	GG	152	614,47	613,09	-	120	46,00	65	24	-	33,00
M0763	154 H 150	4	GG	154	622,55	621,18	-	120	46,00	65	24	-	34,50
M0764	156 H 150	4	GG	156	630,64	629,26	-	120	46,00	65	24	-	36,00

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 200


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 2" (50,8 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0258	14 H 200	2F	St	14	56,59	55,22	64	42	58,70	70	11	309	1,13
M0259	15 H 200	2F	St	15	60,64	59,27	66	45	58,70	70	11	310	1,21
M0260	16 H 200	2F	St	16	64,68	63,31	70	45	58,70	70	11	311	1,30
M0261	17 H 200	2F	St	17	68,72	67,35	75	45	58,70	70	11	312	1,45
M0262	18 H 200	2F	St	18	72,77	71,39	79	55	58,70	70	14	313	1,65
M0263	19 H 200	2F	St	19	76,81	75,44	83	60	58,70	70	14	314	1,90
M0264	20 H 200	2F	St	20	80,85	79,48	87	62	58,70	70	14	315	2,11
M0265	21 H 200	2F	St	21	84,89	83,52	91	65	58,70	70	14	316	2,23
M0266	22 H 200	2F	St	22	88,94	87,56	93	68	58,70	70	14	317	2,45
M0267	23 H 200	2F	St	23	92,98	91,61	97	72	58,70	70	14	318	2,71
M0268	24 H 200	2F	St	24	97,03	95,65	102	72	58,70	70	14	320	2,97
M0269	25 H 200	2F	St	25	101,06	99,69	106	72	58,70	70	14	321	3,32
M0270	26 H 200	2F	St	26	105,11	103,73	112	80	58,70	70	14	322	3,61
M0271	27 H 200	2F	St	27	109,15	107,78	115	80	58,70	70	14	323	3,90
M0272	28 H 200	2F	St	28	113,19	111,82	120	80	58,70	70	14	325	4,10
M0273	29 H 200	2F	St	29	117,23	115,86	123	80	58,70	70	14	326	4,42
M0274	30 H 200	2F	St	30	121,29	119,90	128	80	58,70	70	14	327	4,74
M0275	32 H 200	2F	St	32	129,36	127,99	135	80	58,70	70	14	328	5,60
M0276	33 H 200	2F	St	33	133,40	132,03	140	80	58,70	70	14	330	5,90
M0277	34 H 200	2F	St	34	137,45	136,07	142	80	58,70	70	14	331	6,20
M0278	35 H 200	2F	St	35	141,49	140,12	150	80	58,70	70	14	333	6,60
M0279	36 H 200	3F	St	36	145,53	144,16	150	80	58,70	70	14	334	7,10
M0280	38 H 200	3F	St	38	153,62	152,24	158	80	58,70	70	14	335	7,80

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 200


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 2" (50,8 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0281	40 H 200	3F	St	40	161,70	160,33	168	80	58,70	70	14	338	8,40
M0765	42 H 200	3F	St	42	169,79	168,41	180	80	58,70	70	19	-	9,70
M0282	44 H 200	3F	GG	44	177,87	176,50	184	80	58,70	70	19	339	10,50
M0283	45 H 200	3F	GG	45	181,91	180,54	192	80	58,70	70	19	340	11,30
M0284	48 H 200	3F	GG	48	194,04	192,67	200	90	58,70	75	24	342	8,60
M0766	49 H 200	3	GG	49	198,08	196,71	-	90	58,70	75	24	-	7,60
M0285	50 H 200	3	GG	50	202,13	200,75	-	90	58,70	75	24	-	8,30
M0286	52 H 200	3	GG	52	210,21	208,84	-	90	58,70	75	24	-	8,60
M0287	58 H 200	4	GG	58	234,47	233,09	-	90	58,70	75	24	-	10,00
M0288	60 H 200	4	GG	60	242,55	241,18	-	90	58,70	75	24	-	11,00
M0289	70 H 200	4	GG	70	282,98	281,61	-	100	58,70	75	28	-	12,50
M0290	72 H 200	4	GG	72	291,06	289,69	-	100	58,70	75	28	-	14,00
M0767	82 H 200	4	GG	82	331,49	330,12	-	100	58,70	75	28	-	13,50
M0291	84 H 200	4	GG	84	339,57	338,20	-	120	58,70	75	28	-	13,50
M0768	94 H 200	4	GG	94	380,00	378,63	-	120	58,70	75	28	-	18,90
M0292	96 H 200	4	GG	96	388,08	386,71	-	120	58,70	75	28	-	15,00
M0769	106 H 200	4	GG	106	428,51	427,14	-	120	58,70	75	28	-	22,50
M0770	116 H 200	4	GG	116	468,93	467,56	-	120	58,70	75	28	-	24,70
M0771	118 H 200	4	GG	118	477,02	475,65	-	120	58,70	75	28	-	26,00
M0293	120 H 200	4	GG	120	485,10	483,73	-	120	58,70	75	28	-	20,30
M0772	150 H 200	4	GG	150	606,38	605,01	-	120	58,70	75	28	-	32,50
M0773	152 H 200	4	GG	152	614,47	613,09	-	120	58,70	75	28	-	35,00
M0774	154 H 200	4	GG	154	622,55	621,18	-	120	58,70	75	28	-	38,00
M0775	156 H 200	4	GG	156	630,64	629,26	-	120	58,70	75	28	-	41,00

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 300


podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 3" (76,2 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0294	14 H 300	2F	St	14	56,59	55,22	64	42	85,70	100	11	309	1,35
M0295	15 H 300	2F	St	15	60,64	59,27	66	45	85,70	100	11	310	1,55
M0296	16 H 300	2F	St	16	64,68	63,31	70	45	85,70	100	11	311	1,80
M0297	17 H 300	2F	St	17	68,72	67,35	75	45	85,70	100	11	312	2,10
M0298	18 H 300	2F	St	18	72,77	71,39	79	55	85,70	100	19	313	2,38
M0299	19 H 300	2F	St	19	76,81	75,44	83	60	85,70	100	19	314	2,64
M0300	20 H 300	2F	St	20	80,85	79,48	87	62	85,70	100	19	315	3,10
M0301	21 H 300	2F	St	21	84,89	83,52	91	65	85,70	100	19	316	3,32
M0302	22 H 300	2F	St	22	88,94	87,56	93	68	85,70	100	19	317	3,67
M0303	23 H 300	2F	St	23	92,98	91,61	97	72	85,70	100	19	318	4,00
M0304	24 H 300	2F	St	24	97,03	95,65	102	72	85,70	100	19	320	4,40
M0305	25 H 300	2F	St	25	101,06	99,69	106	72	85,70	100	19	321	4,79
M0306	26 H 300	2F	St	26	105,11	103,73	112	80	85,70	100	19	322	5,20
M0307	27 H 300	2F	St	27	109,15	107,78	115	80	85,70	100	19	323	5,60
M0308	28 H 300	2F	St	28	113,19	111,82	120	80	85,70	100	19	325	5,60
M0776	29 H 300	2F	St	29	117,23	115,86	123	80	85,70	100	19	-	6,00
M0309	30 H 300	2F	St	30	121,29	119,90	128	80	85,70	100	19	327	7,00
M0310	32 H 300	2F	St	32	129,36	127,99	135	80	85,70	100	19	328	7,80
M0311	33 H 300	2F	St	33	133,40	132,03	140	80	85,70	100	19	330	8,70
M0312	34 H 300	2F	St	34	137,45	136,07	142	80	85,70	100	19	331	9,70
M0313	35 H 300	2F	St	35	141,49	140,12	150	80	85,70	100	19	333	9,80
M0314	36 H 300	3F	St	36	145,53	144,16	150	80	85,70	100	19	334	9,90
M0315	38 H 300	3F	St	38	153,62	152,24	158	80	85,70	100	19	335	11,00

Koła zębate

Koła zębate o podziałce calowej H

ISO 5294



H 300

podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 3" (76,2 mm)

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
M0316	40 H 300	3F	St	40	161,70	160,33	168	80	85,70	100	19	338	12,20
M0777	42 H 300	3F	St	42	169,79	168,41	180	80	85,70	100	24	-	13,80
M0317	44 H 300	3F	GG	44	177,87	176,50	184	80	85,70	100	24	339	15,00
M0778	45 H 300	3F	GG	45	181,91	180,54	192	80	85,70	100	24	-	15,20
M0318	48 H 300	3F	GG	48	194,04	192,67	200	90	85,70	100	24	342	11,40
M0779	49 H 300	3	GG	49	198,08	196,71	-	90	85,70	100	24	-	9,40
M0319	50 H 300	3	GG	50	202,13	200,75	-	90	85,70	100	24	-	10,60
M0780	52 H 300	3	GG	52	210,21	208,84	-	90	85,70	100	24	-	11,80
M0320	58 H 300	4	GG	58	234,47	233,09	-	90	85,70	100	24	-	12,20
M0321	60 H 300	4	GG	60	242,55	241,18	-	90	85,70	100	24	-	13,00
M0781	70 H 300	4	GG	70	282,98	281,61	-	100	85,70	100	28	-	16,50
M0322	72 H 300	4	GG	72	291,06	289,69	-	100	85,70	100	28	-	19,00
M0782	82 H 300	4	GG	82	331,49	330,12	-	100	85,70	100	28	-	18,00
M0323	84 H 300	4	GG	84	339,57	338,20	-	100	85,70	100	28	-	20,00
M0783	94 H 300	4	GG	94	380,00	378,63	-	120	85,70	100	28	-	25,50
M0324	96 H 300	4	GG	96	388,08	386,71	-	120	85,70	100	28	-	27,00
M0784	106H 300	4	GG	106	428,51	427,14	-	120	85,70	100	28	-	27,90
M0785	116 H 300	4	GG	116	468,93	467,56	-	120	85,70	100	28	-	28,50
M0786	118 H 300	4	GG	118	477,02	475,65	-	120	85,70	100	28	-	31,00
M0325	120 H 300	4	GG	120	485,10	483,73	-	120	85,70	100	28	-	33,00
M0787	150 H 300	4	GG	150	606,38	605,01	-	120	85,70	100	28	-	38,00
M0788	152 H 300	4	GG	152	614,47	613,09	-	120	85,70	100	28	-	40,00
M0789	154 H 300	4	GG	154	622,55	621,18	-	120	85,70	100	28	-	42,00
M0790	156 H 300	4	GG	156	630,64	629,26	-	120	85,70	100	28	-	44,20