






Koła zębate

Koła zębate o podziałce calowej pod tuleję TAPER LOCK **H**

ISO 5294



H 100

podziałka: 1/2" (12,7 mm)




koła dla pasa o szerokości: 1" (25,4 mm)

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
M0428	TL 16 H 100	16F	St	16	1108	28	64,68	63,31	70	-	45,00	31,00	22,00	9,00	311	0,42
M0429	TL 18 H 100	16F	St	18	1210	32	72,77	71,39	79	-	52,00	31,00	25,00	6,00	313	0,49
M0430	TL 19 H 100	16F	St	19	1210	32	76,81	75,44	83	-	56,00	31,00	25,00	6,00	314	0,62
M0431	TL 20 H 100	16F	St	20	1210	32	80,85	79,48	87	-	60,00	31,00	25,00	6,00	315	0,73
M0432	TL 21 H 100	16F	St	21	1210	32	84,89	83,52	91	-	64,00	32,00	25,00	7,00	316	0,80
M0433	TL 22 H 100	16F	St	22	1210	32	88,94	87,56	93	-	67,00	32,00	25,00	7,00	317	0,94
M0434	TL 23 H 100	16F	St	23	1610	42	92,98	91,61	97	-	70,00	32,00	25,00	7,00	318	0,97
M0435	TL 24 H 100	16F	St	24	1610	42	97,02	95,65	102	-	74,00	32,00	25,00	7,00	320	1,05
M0436	TL 25 H 100	16F	St	25	1610	42	101,06	99,69	106	-	77,00	32,00	25,00	7,00	321	1,10
M0437	TL 26 H 100	16F	St	26	1610	42	105,11	103,73	112	-	82,00	32,00	25,00	7,00	322	1,20
M0438	TL 27 H 100	16F	St	27	1610	42	109,15	107,78	115	-	85,00	32,00	25,00	7,00	323	1,35
M0439	TL 28 H 100	16F	St	28	1610	42	113,19	111,82	120	-	90,00	32,00	25,00	7,00	325	1,50
M0440	TL 30 H 100	16F	St	30	1610	42	121,28	119,90	128	-	98,00	32,00	25,00	7,00	327	1,78
M0441	TL 32 H 100	17F	St	32	1610	42	129,36	127,99	135	80	106,00	32,00	25,00	7,00	328	2,05
M0442	TL 36 H 100	17F	St	36	1610	42	145,53	144,16	150	92	121,00	32,00	25,00	7,00	334	2,80
M0443	TL 40 H 100	17F	St	40	1610	42	161,70	160,33	168	92	138,00	32,00	25,00	7,00	338	3,65
M0444	TL 44 H 100	21F	St	44	2012	50	177,87	176,50	184	106	152,00	32,00	32,00	-	339	3,86
M0445	TL 48 H 100	21F	St	48	2012	50	194,04	192,67	200	106	169,00	32,00	32,00	-	342	3,20
M0446	TL 60 H 100	20	GG	60	2012	50	242,55	241,18	-	92	223,00	34,00	32,00	1,00	-	4,80
M0447	TL 72 H 100	20	GG	72	2012	50	291,06	289,69	-	92	270,00	34,00	32,00	1,00	-	5,70
M0448	TL 84 H 100	20	GG	84	2012	50	339,57	338,20	-	92	318,00	34,00	32,00	1,00	-	6,80
M0449	TL 96 H 100	14	GG	96	2517	60	388,08	386,71	-	106	366,00	34,00	45,00	5,50	-	8,20
M0450	TL120H 100	14	GG	120	2517	60	485,10	483,73	-	106	462,00	34,00	45,00	5,50	-	12,10

Koła zębate

Koła zębate o podziałce calowej pod tuleję TAPER LOCK **H**

ISO 5294



H 150

podziałka: 1/2" (12,7 mm)


koła dla pasa o szerokości: 1 1/2 (38,1 mm)

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
M0451	TL 18 H 150	16F	St	18	1210	32	72,77	71,39	79	-	52,00	45,00	25,00	20,00	313	0,60
M0452	TL 19 H 150	16F	St	19	1210	32	76,81	75,44	83	-	56,00	45,00	25,00	20,00	314	0,72
M0453	TL 20 H 150	16F	St	20	1210	32	80,85	79,48	87	-	60,00	45,00	25,00	20,00	315	0,83
M0454	TL 21 H 150	16F	St	21	1210	32	84,89	83,52	91	-	64,00	45,00	25,00	20,00	316	1,00
M0455	TL 22 H 150	16F	St	22	1210	32	88,94	87,56	93	-	67,00	45,00	25,00	20,00	317	1,25
M0456	TL 23 H 150	16F	St	23	1610	42	92,98	91,61	97	-	70,00	45,00	25,00	20,00	318	1,30
M0457	TL 24 H 150	16F	St	24	1610	42	97,02	95,65	102	-	74,00	45,00	25,00	20,00	320	1,10
M0458	TL 25 H 150	16F	St	25	1610	42	101,06	99,69	106	-	77,00	45,00	25,00	20,00	321	1,30
M0459	TL 26 H 150	16F	St	26	1610	42	105,11	103,73	112	-	82,00	45,00	25,00	20,00	322	1,42
M0460	TL 27 H 150	16F	St	27	1610	42	109,15	107,78	115	-	85,00	45,00	25,00	20,00	323	1,65
M0461	TL 28 H 150	16F	St	28	1610	42	113,19	111,82	120	-	90,00	45,00	25,00	20,00	325	1,88
M0462	TL 30 H 150	16F	St	30	1610	42	121,28	119,90	128	-	98,00	45,00	25,00	20,00	327	2,30
M0463	TL 32 H 150	17F	St	32	1610	42	129,36	127,99	135	80	106,00	45,00	25,00	20,00	328	2,35
M0464	TL 36 H 150	17F	St	36	1610	42	145,53	144,16	150	92	121,00	45,00	25,00	20,00	334	3,20
M0465	TL 40 H 150	17F	St	40	1610	42	161,70	160,33	168	92	138,00	45,00	25,00	20,00	338	4,10
M0466	TL 44 H 150	17F	St	44	2012	50	177,87	176,50	184	106	152,00	45,00	32,00	13,00	339	4,50
M0467	TL 48 H 150	17F	St	48	2012	50	194,04	192,67	200	106	169,00	45,00	32,00	13,00	342	4,80
M0468	TL 60 H 150	20	GG	60	2012	50	242,55	241,18	-	92	223,00	46,00	32,00	7,50	-	5,40
M0469	TL 72 H 150	20	GG	72	2012	50	291,06	289,69	-	92	270,00	46,00	32,00	7,50	-	6,50
M0470	TL 84 H 150	20	GG	84	2012	50	339,57	338,20	-	92	318,00	46,00	32,00	7,50	-	8,40
M0471	TL 96 H 150	20	GG	96	2517	60	388,08	386,71	-	106	366,00	46,00	45,00	0,50	-	11,00
M0472	TL120H 150	20	GG	120	2517	60	485,10	483,73	-	106	462,00	46,00	45,00	0,50	-	14,80


Koła zębate

Koła zębate o podziałce calowej pod tuleję TAPER LOCK **H**


ISO 5294



16F



17F



20

H 200

podziałka: 1/2" (12,7 mm)




koła dla pasa o szerokości: 2" (50,8 mm)

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
M0473	TL 18 H 200	16F	St	18	1210	32	72,77	71,39	79	-	52,00	58,00	25,00	33,00	313	0,84
M0474	TL 19 H 200	16F	St	19	1210	32	76,81	75,44	83	-	56,00	58,00	25,00	33,00	314	0,96
M0475	TL 20 H 200	16F	St	20	1610	42	80,85	79,48	87	-	60,00	58,00	25,00	33,00	315	0,93
M0476	TL 21 H 200	16F	St	21	1610	42	84,89	83,52	91	-	64,00	58,00	25,00	33,00	316	1,70
M0477	TL 22 H 200	16F	St	22	1610	42	88,94	87,56	93	-	67,00	58,00	25,00	33,00	317	1,50
M0478	TL 23 H 200	16F	St	23	1610	42	92,98	91,61	97	-	70,00	58,00	25,00	33,00	318	1,80
M0479	TL 24 H 200	16F	St	24	1610	42	97,02	95,65	102	-	74,00	58,00	25,00	33,00	320	1,55
M0480	TL 25 H 200	16F	St	25	1610	42	101,06	99,69	106	-	77,00	58,00	25,00	33,00	321	1,50
M0481	TL 26 H 200	16F	St	26	1610	42	105,11	103,73	112	-	82,00	58,00	25,00	33,00	322	1,84
M0482	TL 27 H 200	16F	St	27	1610	42	109,15	107,78	115	-	85,00	58,00	25,00	33,00	323	1,90
M0483	TL 28 H 200	16F	St	28	1610	42	113,19	111,82	120	-	90,00	58,00	25,00	33,00	325	1,90
M0484	TL 30 H 200	16F	St	30	1610	42	121,28	119,90	128	-	98,00	58,00	25,00	33,00	327	2,30
M0485	TL 32 H 200	16F	St	32	2012	50	129,36	127,99	135	-	106,00	58,00	32,00	26,00	328	2,95
M0486	TL 36 H 200	17F	St	36	2012	50	145,53	144,16	150	102	121,00	58,00	32,00	26,00	334	3,00
M0487	TL 40 H 200	17F	St	40	2012	50	161,70	160,33	168	106	140,00	58,00	32,00	26,00	338	3,60
M0488	TL 44 H 200	17F	St	44	2012	50	177,87	176,50	184	106	150,00	58,00	32,00	26,00	339	4,00
M0489	TL 48 H 200	17F	St	48	2517	60	194,04	192,67	200	119	168,00	58,00	45,00	13,00	342	4,60
M0490	TL 60 H 200	20	GG	60	2517	60	242,55	241,18	-	119	223,00	60,00	45,00	7,50	-	7,00
M0491	TL 72 H 200	20	GG	72	2517	60	291,06	289,69	-	119	270,00	60,00	45,00	7,50	-	8,00
M0492	TL 84 H 200	20	GG	84	2517	60	339,57	338,20	-	119	318,00	60,00	45,00	7,50	-	9,00
M0493	TL 96 H 200	20	GG	96	2517	60	388,08	386,71	-	119	366,00	60,00	45,00	7,50	-	10,00
M0494	TL120H 200	20	GG	120	2517	60	485,10	483,73	-	119	462,00	60,00	45,00	7,50	-	13,40

Koła zębate

Koła zębate o podziałce calowej pod tuleję TAPER LOCK **H**

ISO 5294



H 300

podziałka: 1/2" (12,7 mm)
koła dla pasa o szerokości: 3" (76,2 mm)

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
M0495	TL 20 H 300	18F	St	20	1615	42	80,85	79,48	87	-	65,00	84,00	38,00	23,00	315	1,50
M0496	TL 21 H 300	18F	St	21	1615	42	84,89	83,52	91	-	65,00	84,00	38,00	23,00	316	1,20
M0497	TL 22 H 300	18F	St	22	1615	42	88,94	87,56	93	-	67,00	84,00	38,00	23,00	317	1,60
M0498	TL 23 H 300	18F	St	23	1615	42	92,98	91,61	97	-	70,00	84,00	38,00	23,00	318	1,80
M0499	TL 24 H 300	18F	St	24	1615	42	97,02	95,65	102	-	74,00	84,00	38,00	23,00	320	2,00
M0500	TL 25 H 300	18F	St	25	1615	42	101,06	99,69	106	-	77,00	84,00	38,00	23,00	321	2,00
M0501	TL 26 H 300	18F	St	26	1615	42	105,11	103,73	112	-	82,00	84,00	38,00	23,00	322	2,70
M0502	TL 27 H 300	18F	St	27	2012	50	109,15	107,78	115	-	85,00	84,00	32,00	26,00	323	3,00
M0503	TL 28 H 300	18F	St	28	2012	50	113,19	111,82	120	-	90,00	84,00	32,00	26,00	325	2,40
M0504	TL 30 H 300	18F	St	30	2012	50	121,28	119,90	128	-	98,00	84,00	32,00	26,00	327	2,90
M0505	TL 32 H 300	18F	St	32	2517	60	129,36	127,99	135	-	106,00	84,00	45,00	19,50	328	3,30
M0506	TL 36 H 300	18F	St	36	2517	60	145,53	144,16	150	-	121,00	84,00	45,00	19,50	334	4,50
M0507	TL 40 H 300	18F	St	40	2517	60	161,70	160,33	168	-	138,00	84,00	45,00	19,50	338	6,00
M0508	TL 44 H 300	19F	St	44	2517	60	177,87	176,50	184	119	150,00	86,00	45,00	20,50	339	6,60
M0509	TL 48 H 300	19F	St	48	2517	60	194,04	192,67	200	119	168,00	86,00	45,00	20,50	342	7,60
M0510	TL 60 H 300	20	GG	60	2517	60	242,55	241,18	-	119	223,00	86,00	45,00	20,50	-	8,40
M0511	TL 72 H 300	20	GG	72	2517	60	291,06	289,69	-	119	270,00	86,00	45,00	20,50	-	10,40
M0512	TL 84 H 300	20	GG	84	2517	60	339,57	338,20	-	119	318,00	86,00	45,00	20,50	-	12,50
M0513	TL 96 H 300	20	GG	96	3030	75	388,08	386,71	-	150	362,00	86,00	76,00	5,00	-	14,20
M0514	TL120H 300	20	GG	120	3030	75	485,10	483,73	-	150	460,00	86,00	76,00	5,00	-	18,80