




Koła zębate

Koła zębate o podziałce metrycznej 14M



14M




podziałka: 14 mm
koła dla pasa o szerokości: 40 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	numer flanszy	[kg]
F0182	28 14M 40	2F	St	28	124,78	122,12	128	100	-	54	69	24	400	4,80
F0600	29 14M 40	2F	St	29	129,23	126,57	138	100	-	54	69	24	-	5,09
F0183	30 14M 40	2F	St	30	133,69	130,99	138	100	-	54	69	24	401	5,60
F0184	32 14M 40	2F	St	32	142,60	139,88	154	100	-	54	69	24	403	6,20
F0185	34 14M 40	2F	St	34	151,52	148,79	160	100	-	54	69	24	404	6,90
F0186	36 14M 40	2F	St	36	160,43	157,68	168	100	-	54	69	24	405	7,70
F0187	38 14M 40	2F	St	38	169,34	166,60	184	120	-	54	69	24	406	8,28
F0188	40 14M 40	2F	St	40	178,25	175,49	188	120	-	54	69	24	407	9,26
F0189	44 14M 40	2F	St	44	196,08	193,28	212	120	-	54	69	24	411	10,32
F0190	48 14M 40	3F	GG	48	213,90	211,11	226	135	170	54	69	24	412	11,50
F0191	56 14M 40	3F	GG	56	249,55	246,76	256	135	207	54	69	28	416	13,05
F0192	64 14M 40	3F	GG	64	285,21	282,41	296	135	240	54	69	28	418	14,40
F0193	72 14M 40	4	GG	72	320,86	318,06	-	135	278	54	69	28	-	16,90
F0194	80 14M 40	4	GG	80	356,51	353,71	-	135	314	54	69	28	-	18,50
F0195	90 14M 40	4	GG	90	401,07	398,28	-	135	358	54	69	28	-	20,00
F0196	112 14M 40	4	GG	112	499,11	496,32	-	135	456	54	69	28	-	26,70
F0197	*144 14M 40	4	GG	144	641,71	638,92	-	135	600	54	69	28	-	35,00
F0198	*168 14M 40	4	GG	168	748,66	745,87	-	135	706	54	69	28	-	44,20
F0199	*192 14M 40	4	GG	192	855,62	852,82	-	135	813	54	69	28	-	52,20
F0601	*216 14M 40	4	GG	216	962,57	959,76	-	150	920	54	69	28	-	62,50

*Na specjalne zamówienie.

Koła zębate

Koła zębate o podziałce metrycznej **14M**



14M




podziałka: 14 mm
koła dla pasa o szerokości: 55 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	numer flanszy	[kg]
F0200	28 14M 55	2F	St	28	124,78	122,12	128	100	-	70	85	24	400	5,70
F0602	29 14M 55	2F	St	29	129,23	126,57	138	100	-	70	85	24	-	6,10
F0201	30 14M 55	2F	St	30	133,69	130,99	138	100	-	70	85	24	401	6,60
F0202	32 14M 55	2F	St	32	142,60	139,88	154	100	-	70	85	24	403	7,90
F0203	34 14M 55	2F	St	34	151,52	148,79	160	100	-	70	85	24	404	8,60
F0204	36 14M 55	2F	St	36	160,43	157,68	168	100	-	70	85	24	405	9,60
F0205	38 14M 55	2F	St	38	169,34	166,60	184	120	-	70	85	24	406	10,80
F0206	40 14M 55	2F	St	40	178,25	175,49	188	120	-	70	85	24	407	11,20
F0207	44 14M 55	2F	St	44	196,08	193,28	212	120	-	70	85	24	411	12,50
F0208	48 14M 55	7F	GG	48	213,90	211,11	226	135	170	70	70	24	412	13,50
F0209	56 14M 55	7F	GG	56	249,55	246,76	256	135	207	70	70	28	416	14,50
F0210	64 14M 55	7F	GG	64	285,21	282,41	296	135	240	70	70	28	418	15,60
F0211	72 14M 55	8	GG	72	320,86	318,06	-	135	278	70	70	28	-	16,90
F0212	80 14M 55	8	GG	80	356,51	353,71	-	135	314	70	70	28	-	20,27
F0213	90 14M 55	8	GG	90	401,07	398,28	-	135	358	70	70	28	-	22,60
F0214	112 14M 55	8	GG	112	499,11	496,32	-	135	456	70	70	28	-	29,29
F0215	*144 14M 55	8	GG	144	641,71	638,92	-	135	600	70	70	28	-	39,00
F0216	*168 14M 55	8	GG	168	748,66	745,87	-	135	706	70	70	28	-	48,50
F0217	*192 14M 55	8	GG	192	855,62	852,82	-	135	813	70	70	28	-	57,80
F0603	*216 14M 55	8	GG	216	962,57	959,76	-	150	920	70	70	28	-	67,00

*Na specjalne zamówienie.

Koła zębate

Koła zębate o podziałce metrycznej **14M**



14M




podziałka: 14 mm
koła dla pasa o szerokości: 85 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	numer flanszy	[kg]
F0218	28 14M 85	2F	St	28	124,78	122,12	128	100	-	102	117	24	400	7,70
F0604	29 14M 85	2F	St	29	129,23	126,57	138	100	-	102	117	24	-	8,40
F0219	30 14M 85	2F	St	30	133,69	130,99	138	100	-	102	117	24	401	9,10
F0220	32 14M 85	2F	St	32	142,60	139,88	154	100	-	102	117	24	403	10,50
F0221	34 14M 85	2F	St	34	151,52	148,79	160	100	-	102	117	24	404	11,90
F0222	36 14M 85	2F	St	36	160,43	157,68	168	100	-	102	117	32	405	13,20
F0223	38 14M 85	2F	St	38	169,34	166,60	184	120	-	102	117	32	406	15,15
F0224	40 14M 85	2F	St	40	178,25	175,49	188	135	-	102	117	32	407	17,10
F0225	44 14M 85	2F	St	44	196,08	193,28	212	135	-	102	117	32	411	23,30
F0226	48 14M 85	2F	St	48	213,90	211,11	226	150	-	102	117	32	412	25,00
F0227	56 14M 85	7F	GG	56	249,55	246,76	256	150	207	102	117	32	416	25,00
F0228	64 14M 85	7F	GG	64	285,21	282,41	296	150	240	102	102	32	418	30,50
F0229	72 14M 85	8	GG	72	320,86	318,06	-	150	278	102	102	32	-	28,26
F0230	80 14M 85	8	GG	80	356,51	353,71	-	150	314	102	102	32	-	30,10
F0231	90 14M 85	8	GG	90	401,07	398,28	-	150	358	102	102	32	-	33,00
F0232	112 14M 85	8	GG	112	499,11	496,32	-	150	456	102	102	32	-	41,80
F0233	*144 14M 85	8	GG	144	641,71	638,92	-	150	600	102	102	32	-	52,40
F0234	*168 14M 85	8	GG	168	748,66	745,87	-	150	706	102	102	32	-	60,30
F0235	*192 14M 85	8	GG	192	855,62	852,82	-	165	813	102	102	32	-	70,20
F0605	*216 14M 85	8	GG	216	962,57	959,76	-	165	920	102	102	32	-	81,00

*Na specjalne zamówienie.

Koła zębate

Koła zębate o podziałce metrycznej **14M**



14M




podziałka: 14 mm
koła dla pasa o szerokości: 115 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	numer flanszy	[kg]
F0236	28 14M 115	2F	St	28	124,78	122,12	128	100	-	133	148	32	400	9,20
F0606	29 14M 115	2F	St	29	129,23	126,57	138	100	-	133	148	32	-	10,20
F0237	30 14M 115	2F	St	30	133,69	130,99	138	100	-	133	148	32	401	11,20
F0238	32 14M 115	2F	St	32	142,60	139,88	154	100	-	133	148	32	403	13,20
F0239	34 14M 115	2F	St	34	151,52	148,79	160	100	-	133	148	32	404	14,80
F0240	36 14M 115	2F	St	36	160,43	157,68	168	100	-	133	148	32	405	16,60
F0241	38 14M 115	2F	St	38	169,34	166,60	184	120	-	133	148	32	406	19,20
F0242	40 14M 115	2F	St	40	178,25	175,49	188	135	-	133	148	32	407	20,56
F0243	44 14M 115	2F	St	44	196,08	193,28	212	140	-	133	148	32	411	21,93
F0244	48 14M 115	2F	St	48	213,90	211,11	226	150	-	133	148	32	412	25,00
F0245	56 14M 115	2F	St	56	249,55	246,76	256	150	-	133	148	32	416	27,50
F0246	64 14M 115	7F	GG	64	285,21	282,41	296	150	240	133	133	32	418	30,10
F0247	72 14M 115	8	GG	72	320,86	318,06	-	150	278	133	133	32	-	32,83
F0248	80 14M 115	8	GG	80	356,51	353,71	-	150	314	133	133	32	-	35,55
F0249	90 14M 115	8	GG	90	401,07	398,28	-	150	358	133	133	32	-	41,00
F0250	112 14M 115	8	GG	112	499,11	496,32	-	150	456	133	133	32	-	54,40
F0251	*144 14M 115	8	GG	144	641,71	638,92	-	165	600	133	133	32	-	67,80
F0252	*168 14M 115	8	GG	168	748,66	745,87	-	165	706	133	133	32	-	75,80
F0253	*192 14M 115	8	GG	192	855,62	852,82	-	165	813	133	133	32	-	88,30
F0607	*216 14M 115	8	GG	216	962,57	959,76	-	165	920	133	133	32	-	98,00

*Na specjalne zamówienie.

Koła zębate

Koła zębate o podziałce metrycznej **14M**



14M

podziałka: 14 mm

koła dla pasa o szerokości: 170 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	Di	F	L	d	numer flanszy	[kg]
F0254	28 14M 170	2F	St	28	124,78	122,12	128	100	-	187	202	32	400	9,20
F0608	29 14M 170	2F	St	29	129,23	126,57	138	100	-	187	202	32	-	10,20
F0255	30 14M 170	2F	St	30	133,69	130,99	138	100	-	187	202	32	401	11,20
F0256	32 14M 170	2F	St	32	142,60	139,88	154	100	-	187	202	32	403	13,20
F0257	34 14M 170	2F	St	34	151,52	148,79	160	100	-	187	202	32	404	14,80
F0258	36 14M 170	2F	St	36	160,43	157,68	168	100	-	187	202	32	405	16,60
F0259	38 14M 170	2F	St	38	169,34	166,60	184	120	-	187	202	32	406	19,20
F0260	40 14M 170	2F	St	40	178,25	175,49	188	135	-	187	202	32	407	20,56
F0261	44 14M 170	2F	St	44	196,08	193,28	212	140	-	187	202	32	411	21,93
F0262	48 14M 170	2F	St	48	213,90	211,11	226	150	-	187	202	32	412	25,00
F0263	56 14M 170	2F	St	56	249,55	246,76	256	150	-	187	202	32	416	27,50
F0264	64 14M 170	7F	St	64	285,21	282,41	296	150	240	187	202	32	418	30,10
F0265	72 14M 170	8	GG	72	320,86	318,06	-	150	278	187	187	32	-	32,83
F0266	80 14M 170	8	GG	80	356,51	353,71	-	150	314	187	187	32	-	35,55
F0267	90 14M 170	8	GG	90	401,07	398,28	-	150	358	187	187	32	-	41,00
F0268	112 14M 170	8	GG	112	499,11	496,32	-	150	456	187	187	32	-	54,40
F0269	*144 14M 170	8	GG	144	641,71	638,92	-	165	600	187	187	32	-	67,80
F0270	*168 14M 170	8	GG	168	748,66	745,87	-	165	706	187	187	32	-	75,80
F0271	*192 14M 170	8	GG	192	855,62	852,82	-	165	813	187	187	32	-	88,30
F0609	*216 14M 170	8	GG	216	962,57	959,76	-	165	920	187	187	32	-	98,00

*Na specjalne zamówienie.