



Koła zębate

Koła zębate o podziałce metrycznej AT5

DIN 7721-2



AT5



podziałka: 5 mm
koła dla pasa o szerokości: 10 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0158	21 AT5/12	2F	Al	12	19,01	17,85	23	11	15	21	4	201	0,01
E0159	21 AT5/14	2F	Al	14	22,29	21,05	25	14	15	21	4	203	0,02
E0160	21 AT5/15	2F	Al	15	23,88	22,65	28	16	15	21	6	204	0,02
E0161	21 AT5/16	2F	Al	16	25,47	24,20	32	18	15	21	6	205	0,03
E0162	21 AT5/18	2F	Al	18	28,65	27,40	32	20	15	21	6	205	0,03
E0163	21 AT5/19	2F	Al	19	30,25	29,00	36	22	15	21	6	206	0,04
E0164	21 AT5/20	2F	Al	20	31,83	30,60	36	23	15	21	6	206	0,04
E0165	21 AT5/22	2F	Al	22	35,12	33,85	38	24	15	21	6	207	0,05
E0166	21 AT5/24	2F	Al	24	38,21	37,00	42	26	15	21	6	208	0,06
E0167	21 AT5/25	2F	Al	25	39,80	38,60	44	26	15	21	6	209	0,06
E0168	21 AT5/26	2F	Al	26	41,47	40,20	44	26	15	21	6	209	0,06
E0169	21 AT5/27	2F	Al	27	42,98	41,80	48	30	15	21	8	210	0,07
E0170	21 AT5/28	2F	Al	28	44,62	43,35	48	32	15	21	8	210	0,07
E0171	21 AT5/30	2F	Al	30	47,76	46,55	51	34	15	21	8	211	0,07
E0172	21 AT5/32	2F	Al	32	50,94	49,70	54	36	15	21	8	212	0,09
E0173	21 AT5/36	2F	Al	36	57,31	56,05	64	38	15	21	8	215	0,11
E0174	21 AT5/40	2F	Al	40	63,66	62,45	66	40	15	21	8	216	0,14
E0175	21 AT5/42	2F	Al	42	66,87	65,60	70	40	15	21	8	217	0,18
E0176	21 AT5/44	2	Al	44	70,07	68,80	-	45	15	21	8	-	0,18
E0177	21 AT5/48	2	Al	48	76,42	75,15	-	50	15	21	8	-	0,20
E0178	21 AT5/60	2	Al	60	95,52	94,25	-	65	15	21	8	-	0,31

Koła zębate

Koła zębate o podziałce metrycznej AT5

DIN 7721-2



AT5



podziałka: 5 mm
koła dla pasa o szerokości: 16 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0179	27 AT5/12	2F	Al	12	19,01	17,85	23	11	21	27	4	201	0,02
E0180	27 AT5/14	2F	Al	14	22,29	21,05	25	14	21	27	4	203	0,03
E0181	27 AT5/15	2F	Al	15	23,88	22,65	28	16	21	27	6	204	0,03
E0182	27 AT5/16	2F	Al	16	25,47	24,20	32	18	21	27	6	205	0,04
E0183	27 AT5/18	2F	Al	18	28,65	27,40	32	20	21	27	6	205	0,04
E0184	27 AT5/19	2F	Al	19	30,25	29,00	36	22	21	27	6	206	0,05
E0185	27 AT5/20	2F	Al	20	31,83	30,60	36	23	21	27	6	206	0,06
E0186	27 AT5/22	2F	Al	22	35,12	33,85	38	24	21	27	6	207	0,06
E0187	27 AT5/24	2F	Al	24	38,21	37,00	42	26	21	27	6	208	0,08
E0188	27 AT5/25	2F	Al	25	39,80	38,60	44	26	21	27	6	209	0,08
E0189	27 AT5/26	2F	Al	26	41,47	40,20	44	26	21	27	6	209	0,09
E0190	27 AT5/27	2F	Al	27	42,98	41,80	48	30	21	27	8	210	0,09
E0191	27 AT5/28	2F	Al	28	44,62	43,35	48	32	21	27	8	210	0,09
E0192	27 AT5/30	2F	Al	30	47,76	46,55	51	34	21	27	8	211	0,10
E0193	27 AT5/32	2F	Al	32	50,94	49,70	54	36	21	27	8	212	0,12
E0194	27 AT5/36	2F	Al	36	57,31	56,05	64	38	21	27	8	215	0,16
E0195	27 AT5/40	2F	Al	40	63,66	62,45	66	40	21	27	8	216	0,19
E0196	27 AT5/42	2F	Al	42	66,87	65,60	70	40	21	27	8	217	0,20
E0197	27 AT5/44	2	Al	44	70,07	68,80	-	45	21	27	8	-	0,23
E0198	27 AT5/48	2	Al	48	76,42	75,15	-	50	21	27	8	-	0,28
E0199	27 AT5/60	2	Al	60	95,52	94,25	-	65	21	27	8	-	0,43

Koła zębate

Koła zębate o podziałce metrycznej AT5

DIN 7721-2



AT5

podziałka: 5 mm
koła dla pasa o szerokości: 25 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0200	36 AT5/12	2F	Al	12	19,01	17,85	23	11	30	36	4	201	0,03
E0201	36 AT5/14	2F	Al	14	22,29	21,05	25	14	30	36	4	203	0,04
E0202	36 AT5/15	2F	Al	15	23,88	22,65	28	16	30	36	6	204	0,04
E0203	36 AT5/16	2F	Al	16	25,47	24,20	32	18	30	36	6	205	0,05
E0204	36 AT5/18	2F	Al	18	28,65	27,40	32	20	30	36	6	205	0,06
E0205	36 AT5/19	2F	Al	19	30,25	29,00	36	22	30	36	6	206	0,07
E0206	36 AT5/20	2F	Al	20	31,83	30,60	36	23	30	36	6	206	0,08
E0207	36 AT5/22	2F	Al	22	35,12	33,85	38	24	30	36	6	207	0,08
E0208	36 AT5/24	2F	Al	24	38,21	37,00	42	26	30	36	6	208	0,11
E0209	36 AT5/25	2F	Al	25	39,80	38,60	44	26	30	36	6	209	0,12
E0210	36 AT5/26	2F	Al	26	41,47	40,20	44	26	30	36	6	209	0,12
E0211	36 AT5/27	2F	Al	27	42,98	41,80	48	30	30	36	8	210	0,13
E0212	36 AT5/28	2F	Al	28	44,62	43,35	48	32	30	36	8	210	0,14
E0213	36 AT5/30	2F	Al	30	47,76	46,55	51	34	30	36	8	211	0,15
E0214	36 AT5/32	2F	Al	32	50,94	49,70	54	36	30	36	8	212	0,18
E0215	36 AT5/36	2F	Al	36	57,31	56,05	64	38	30	36	8	215	0,23
E0216	36 AT5/40	2F	Al	40	63,66	62,45	66	40	30	36	8	216	0,28
E0217	36 AT5/42	2F	Al	42	66,87	65,60	70	40	30	36	8	217	0,29
E0218	36 AT5/44	2	Al	44	70,07	68,80	-	45	30	36	8	-	0,31
E0219	36 AT5/48	2	Al	48	76,42	75,15	-	50	30	36	8	-	0,40
E0220	36 AT5/60	2	Al	60	95,52	94,25	-	65	30	36	8	-	0,61