



Koła zębate

Koła zębate o podziałce metrycznej **T5**

DIN 7721-2



T5



podziałka: 5 mm
koła dla pasa o szerokości: 10 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0020	21 T5/10	2F	Al	10	15,92	15,05	20,00	8	15	21	4	200	0,01
E0021	21 T5/12	2F	Al	12	19,01	18,25	23,00	11	15	21	4	201	0,01
E0022	21 T5/14	2F	Al	14	22,29	21,45	25,00	13	15	21	4	203	0,02
E0023	21 T5/15	2F	Al	15	23,88	23,05	28,00	16	15	21	6	204	0,02
E0024	21 T5/16	2F	Al	16	25,47	24,60	32,00	18	15	21	6	205	0,03
E0025	21 T5/18	2F	Al	18	28,65	27,80	32,00	20	15	21	6	205	0,03
E0026	21 T5/19	2F	Al	19	30,25	29,40	36,00	22	15	21	6	206	0,04
E0027	21 T5/20	2F	Al	20	31,83	31,00	36,00	23	15	21	6	206	0,04
E0028	21 T5/22	2F	Al	22	35,12	34,15	38,00	24	15	21	6	207	0,05
E0029	21 T5/24	2F	Al	24	38,21	37,40	42,00	26	15	21	6	208	0,06
E0030	21 T5/25	2F	Al	25	39,80	38,95	44,00	26	15	21	6	209	0,06
E0031	21 T5/26	2F	Al	26	41,47	40,60	44,00	26	15	21	6	209	0,06
E0032	21 T5/27	2F	Al	27	42,98	42,20	48,00	30	15	21	8	210	0,07
E0033	21 T5/28	2F	Al	28	44,62	43,75	48,00	32	15	21	8	210	0,07
E0034	21 T5/30	2F	Al	30	47,76	46,95	51,00	34	15	21	8	211	0,07
E0035	21 T5/32	2F	Al	32	50,94	50,10	54,00	38	15	21	8	212	0,09
E0036	21 T5/36	2F	Al	36	57,31	56,45	64,00	38	15	21	8	215	0,11
E0037	21 T5/40	2F	Al	40	63,66	62,85	66,00	40	15	21	8	216	0,14
E0038	21 T5/42	2F	Al	42	66,87	66,00	70,00	40	15	21	8	217	0,16
E0039	21 T5/44	2	Al	44	70,07	69,20	-	45	15	21	8	-	0,20
E0040	21 T5/48	2	Al	48	76,42	75,55	-	50	15	21	8	-	0,31
E0041	21 T5/60	2	Al	60	95,52	94,65	-	65	15	21	8	-	0,18

Koła zębate

Koła zębate o podziałce metrycznej T5

DIN 7721-2



T5



podziałka: 5 mm
koła dla pasa o szerokości: 16 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0042	27 T5/10	2F	Al	10	15,92	15,05	20,00	8	21	27	4	200	0,02
E0043	27 T5/12	2F	Al	12	19,01	18,25	23,00	11	21	27	4	201	0,02
E0044	27 T5/14	2F	Al	14	22,29	21,45	25,00	13	21	27	4	203	0,03
E0045	27 T5/15	2F	Al	15	23,88	23,05	28,00	16	21	27	6	204	0,03
E0046	27 T5/16	2F	Al	16	25,47	24,60	32,00	18	21	27	6	205	0,04
E0047	27 T5/18	2F	Al	18	28,65	27,80	32,00	20	21	27	6	205	0,04
E0048	27 T5/19	2F	Al	19	30,25	29,40	36,00	22	21	27	6	206	0,05
E0049	27 T5/20	2F	Al	20	31,83	31,00	36,00	23	21	27	6	206	0,06
E0050	27 T5/22	2F	Al	22	35,12	34,15	38,00	24	21	27	6	207	0,06
E0051	27 T5/24	2F	Al	24	38,21	37,40	42,00	26	21	27	6	208	0,08
E0052	27 T5/25	2F	Al	25	39,80	38,95	44,00	26	21	27	6	209	0,08
E0053	27 T5/26	2F	Al	26	41,47	40,60	44,00	26	21	27	6	209	0,09
E0054	27 T5/27	2F	Al	27	42,98	42,20	48,00	30	21	27	8	210	0,09
E0055	27 T5/28	2F	Al	28	44,62	43,75	48,00	32	21	27	8	210	0,09
E0056	27 T5/30	2F	Al	30	47,76	46,95	51,00	34	21	27	8	211	0,10
E0057	27 T5/32	2F	Al	32	50,94	50,10	54,00	38	21	27	8	212	0,12
E0058	27 T5/36	2F	Al	36	57,31	56,45	64,00	38	21	27	8	215	0,16
E0059	27 T5/40	2F	Al	40	63,66	62,85	66,00	40	21	27	8	216	0,19
E0060	27 T5/42	2F	Al	42	66,87	66,00	70,00	40	21	27	8	217	0,24
E0061	27 T5/44	2	Al	44	70,07	69,20	-	45	21	27	8	-	0,28
E0062	27 T5/48	2	Al	48	76,42	75,55	-	50	21	27	8	-	0,43
E0063	27 T5/60	2	Al	60	95,52	94,65	-	65	21	27	8	-	0,11

Koła zębate

Koła zębate o podziałce metrycznej T5

DIN 7721-2



T5

podziałka: 5 mm
koła dla pasa o szerokości: 25 mm

kod	typ	rysunek	materiał	Z	dp	de	Df	Dm	F	L	d	numer flanszy	[kg]
E0064	36 T5/10	2F	Al	10	15,92	15,05	20,00	8	30	36	4	200	0,02
E0065	36 T5/12	2F	Al	12	19,01	18,25	23,00	11	30	36	4	201	0,03
E0066	36 T5/14	2F	Al	14	22,29	21,45	25,00	13	30	36	4	203	0,04
E0067	36 T5/15	2F	Al	15	23,88	23,05	28,00	16	30	36	6	204	0,04
E0068	36 T5/16	2F	Al	16	25,47	24,60	32,00	18	30	36	6	205	0,05
E0069	36 T5/18	2F	Al	18	28,65	27,80	32,00	20	30	36	6	205	0,06
E0070	36 T5/19	2F	Al	19	30,25	29,40	36,00	22	30	36	6	206	0,07
E0071	36 T5/20	2F	Al	20	31,83	31,00	36,00	23	30	36	6	206	0,08
E0072	36 T5/22	2F	Al	22	35,12	34,15	38,00	24	30	36	6	207	0,08
E0073	36 T5/24	2F	Al	24	38,21	37,40	42,00	26	30	36	8	208	0,11
E0074	36 T5/25	2F	Al	25	39,80	38,95	44,00	26	30	36	8	209	0,12
E0075	36 T5/26	2F	Al	26	41,47	40,60	44,00	26	30	36	8	209	0,12
E0076	36 T5/27	2F	Al	27	42,98	42,20	48,00	30	30	36	8	210	0,13
E0077	36 T5/28	2F	Al	28	44,62	43,75	48,00	32	30	36	8	210	0,14
E0078	36 T5/30	2F	Al	30	47,76	46,95	51,00	34	30	36	8	211	0,15
E0079	36 T5/32	2F	Al	32	50,94	50,10	54,00	38	30	36	8	212	0,18
E0080	36 T5/36	2F	Al	36	57,31	56,45	64,00	38	30	36	8	215	0,23
E0081	36 T5/40	2F	Al	40	63,66	62,85	66,00	40	30	36	8	216	0,28
E0082	36 T5/42	2F	Al	42	66,87	66,00	70,00	40	30	36	8	217	0,35
E0083	36 T5/44	2	Al	44	70,07	69,20	-	45	30	36	8	-	0,40
E0084	36 T5/48	2	Al	48	76,42	75,55	-	50	30	36	8	-	0,61
E0085	36 T5/60	2	Al	60	95,52	94,65	-	65	30	36	8	-	0,18