



Koła zębate


Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **14M**




14




18F



19F



19



20

14M


podziałka: 14 mm

koła dla pasa o szerokości: 55 mm


kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0372	TL 28 14M 55	18F	St	28	2012	50	124,78	122,12	128	-	94	70	32	19,00	400	2,20
F0611	TL 29 14M 55	18F	St	29	2012	50	129,23	126,57	138	-	100	70	32	19,00	-	2,74
F0373	TL 30 14M 55	18F	St	30	2517	60	133,69	130,99	138	-	100	70	45	12,50	401	2,70
F0374	TL 32 14M 55	18F	St	32	2517	60	142,60	139,88	154	-	108	70	45	12,50	403	3,60
F0375	TL 34 14M 55	18F	St	34	2517	60	151,52	148,79	160	-	110	70	45	12,50	404	4,50
F0376	TL 36 14M 55	18F	St	36	2517	60	160,43	157,68	168	-	120	70	45	12,50	405	5,20
F0377	TL 38 14M 55	18F	St	38	2517	60	169,34	166,60	184	-	130	70	45	12,50	406	6,20
F0378	TL 40 14M 55	18F	St	40	2517	60	178,25	175,49	188	-	138	70	45	12,50	407	6,90
F0379	TL 44 14M 55	18F	St	44	3020	75	196,08	193,28	212	-	155	70	51	9,50	411	8,60
F0380	TL 48 14M 55	18F	St	48	3020	75	213,90	211,11	226	-	170	70	51	9,50	412	10,50
F0381	TL 56 14M 55	18F	GG	56	3020	75	249,55	246,76	256	170	208	70	51	9,50	416	13,50
F0382	TL 64 14M 55	19F	GG	64	3020	75	285,21	282,41	296	170	240	70	51	9,50	418	14,50
F0383	TL 72 14M 55	19	GG	72	3020	75	320,86	318,06	-	170	280	70	51	9,50	-	16,30
F0384	TL 80 14M 55	20	GG	80	3020	75	356,51	353,71	-	170	315	70	51	9,50	-	17,50
F0385	TL 90 14M 55	20	GG	90	3020	75	401,07	398,28	-	170	360	70	51	9,50	-	20,00
F0386	TL112 14M 55	20	GG	112	3020	75	499,11	496,32	-	170	457	70	51	9,50	-	28,20
F0387	TL144 14M 55	20	GG	144	3020	75	641,71	638,92	-	170	600	70	51	9,50	-	36,00
F0388	TL168 14M 55	20	GG	168	3020	75	748,66	745,87	-	170	706	70	51	9,50	-	49,00
F0389	TL192 14M 55	14	GG	192	3535	90	855,62	852,82	-	190	813	70	89	9,50	-	53,00
F0612	TL 216 14M 55	14	GG	216	3535	90	962,57	959,76	-	190	920	70	89	9,50	-	65,80

Koła zębate


Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **14M**




14




18F



19F



19



20

14M

podziałka: 14 mm


koła dla pasa o szerokości: 40 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0354	TL 28 14M 40	18F	St	28	2012	50	124,78	122,12	128	-	94	54	32	11,00	400	2,10
F0613	TL 29 14M 40	18F	St	29	2012	50	129,23	126,57	138	-	98	54	32	11,00	-	2,38
F0355	TL 30 14M 40	18F	St	30	2012	50	133,69	130,99	138	-	98	54	32	11,00	401	2,70
F0356	TL 32 14M 40	18F	St	32	2012	50	142,60	139,88	154	-	108	54	32	11,00	403	3,40
F0357	TL 34 14M 40	18F	St	34	2517	60	151,52	148,79	160	-	110	54	45	4,50	404	3,90
F0358	TL 36 14M 40	18F	St	36	2517	60	160,43	157,68	168	-	120	54	45	4,50	405	4,80
F0359	TL 38 14M 40	18F	St	38	2517	60	169,34	166,60	184	-	130	54	45	4,50	406	5,40
F0360	TL 40 14M 40	18F	St	40	2517	60	178,25	175,49	188	-	138	54	45	4,50	407	6,00
F0361	TL 44 14M 40	18F	St	44	3020	75	196,08	193,28	212	-	155	54	51	1,50	411	7,50
F0362	TL 48 14M 40	18F	St	48	3020	75	213,90	211,11	226	-	170	54	51	1,50	412	8,50
F0363	TL 56 14M 40	19F	GG	56	3020	75	249,55	246,76	256	170	208	54	51	1,50	416	10,10
F0364	* TL 64 14M 40	19F	GG	64	3020	75	285,21	282,41	296	170	240	54	51	1,50	418	-
F0365	TL 72 14M 40	19	GG	72	3020	75	320,86	318,06	-	170	280	54	51	1,50	-	15,00
F0366	TL 80 14M 40	20	GG	80	3020	75	356,51	353,71	-	170	315	54	51	1,50	-	16,00
F0367	TL 90 14M 40	20	GG	90	3020	75	401,07	398,28	-	170	360	54	51	1,50	-	18,00
F0368	TL112 14M 40	20	GG	112	3020	75	499,11	496,32	-	170	457	54	51	1,50	-	25,50
F0369	TL144 14M 40	20	GG	144	3020	75	641,71	638,92	-	170	600	54	51	1,50	-	32,00
F0370	TL168 14M 40	20	GG	168	3020	75	748,66	745,87	-	170	706	54	51	1,50	-	44,00
F0371	TL192 14M 40	14	GG	192	3535	90	855,62	852,82	-	190	813	54	89	17,50	-	49,00
F0614	TL 216 14M 40	14	GG	216	3535	90	962,57	959,76	-	190	920	54	89	17,50	-	55,00

*Na specjalne zamówienie.

Koła zębate

Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **14M**







14M

podziałka: 14 mm
koła dla pasa o szerokości: 85 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0390	TL 28 14M 85	18F	St	28	2517	60	124,78	122,12	128	-	98	102	45	28,50	400	2,70
F0615	TL 29 14M 85	18F	St	29	2517	60	129,23	126,57	138	-	100	102	45	28,50	-	3,40
F0391	TL 30 14M 85	18F	St	30	2517	60	133,69	130,99	138	-	100	102	45	28,50	401	3,80
F0392	TL 32 14M 85	18F	St	32	2517	60	142,60	139,88	154	-	108	102	45	28,50	403	4,70
F0393	TL 34 14M 85	18F	St	34	2517	60	151,52	148,79	160	-	110	102	45	28,50	404	6,00
F0394	TL 36 14M 85	18F	St	36	3020	75	160,43	157,68	168	-	120	102	51	25,50	405	5,70
F0395	TL 38 14M 85	18F	St	38	3020	75	169,34	166,60	184	-	130	102	51	25,50	406	6,80
F0396	TL 40 14M 85	18F	St	40	3020	75	178,25	175,49	188	-	138	102	51	25,50	407	8,00
F0397	TL 44 14M 85	18F	St	44	3020	75	196,08	193,28	212	-	153	102	51	25,50	411	11,70
F0398	TL 48 14M 85	18F	St	48	3020	75	213,90	211,11	226	-	170	102	51	25,50	412	15,00
F0399	TL 56 14M 85	18F	GG	56	3525	90	249,55	246,76	256	-	210	102	65	18,50	416	19,00
F0400	TL 64 14M 85	19F	GG	64	3525	90	285,21	282,41	296	190	240	102	65	18,50	418	23,50
F0401	TL 72 14M 85	19	GG	72	3525	90	320,86	318,06	-	190	280	102	65	18,50	-	25,00
F0402	TL 80 14M 85	20	GG	80	3525	90	356,51	353,71	-	190	315	102	65	18,50	-	26,00
F0403	TL 90 14M 85	20	GG	90	3525	90	401,07	398,28	-	190	360	102	65	18,50	-	28,00
F0404	TL112 14M 85	20	GG	112	3525	90	499,11	496,32	-	190	457	102	65	18,50	-	36,00
F0405	TL144 14M 85	20	GG	144	3525	90	641,71	638,92	-	190	600	102	65	18,50	-	48,00
F0406	TL168 14M 85	20	GG	168	3525	90	748,66	745,87	-	190	706	102	65	18,50	-	60,00
F0407	TL192 14M 85	22	GG	192	4040	100	855,62	852,82	-	190	813	102	102	-	-	86,00
F0616	TL 216 14M 85	22	GG	216	4040	100	962,57	959,76	-	190	920	102	102	-	-	91,50

Koła zębate

Koła zębate o podziałce metrycznej pod tuleję TAPER LOCK **14M**



14M

podziałka: 14 mm
koła dla pasa o szerokości: 115 mm

kod	typ	rysunek	materiał	Z	tuleja	otwór max	dp	de	Df	Dm	Di	F	L	R	numer flanszy	[kg]
F0408	TL 28 14M 115	18F	St	28	2517	60	124,78	122,12	128	-	98	133	45	44,00	400	3,80
F0617	TL 29 14M 115	18F	St	29	2517	60	129,23	126,57	138	-	100	133	45	44,00	-	4,00
F0409	TL 30 14M 115	18F	St	30	2517	60	133,69	130,99	138	-	100	133	45	44,00	401	5,00
F0410	TL 32 14M 115	18F	St	32	2517	60	142,60	139,88	154	-	108	133	45	44,00	403	6,80
F0411	TL 34 14M 115	18F	St	34	2517	60	151,52	148,79	160	-	110	133	45	44,00	404	6,90
F0412	TL 36 14M 115	18F	St	36	3020	75	160,43	157,68	168	-	125	133	51	41,00	405	7,00
F0413	TL 38 14M 115	18F	St	38	3020	75	169,34	166,60	184	-	130	133	51	41,00	406	8,50
F0414	TL 40 14M 115	18F	St	40	3020	75	178,25	175,49	188	-	138	133	51	41,00	407	9,10
F0415	TL 44 14M 115	18F	St	44	3030	75	196,08	193,28	212	-	155	133	76	28,50	411	14,00
F0416	TL 48 14M 115	18F	St	48	3030	75	213,90	211,11	226	-	170	133	76	28,50	412	17,10
F0417	TL 56 14M 115	18F	GG	56	3535	90	249,55	246,76	256	-	208	133	89	22,00	416	24,80
F0418	TL 64 14M 115	19F	GG	64	3535	90	285,21	282,41	296	190	240	133	89	22,00	418	27,00
F0419	TL 72 14M 115	19	GG	72	3535	90	320,86	318,06	-	190	280	133	89	22,00	-	29,00
F0420	TL 80 14M 115	20	GG	80	3535	90	356,51	353,71	-	190	315	133	89	22,00	-	32,00
F0421	TL 90 14M 115	20	GG	90	3535	90	401,07	398,28	-	190	360	133	89	22,00	-	36,50
F0422	TL112 14M 115	20	GG	112	3535	90	499,11	496,32	-	190	457	133	89	22,00	-	46,00
F0423	TL144 14M 115	20	GG	144	4040	100	641,71	638,92	-	230	600	133	102	15,50	-	68,00
F0424	TL168 14M 115	20	GG	168	4040	100	748,66	745,87	-	230	706	133	102	15,50	-	82,60
F0425	TL192 14M 115	20	GG	192	4040	100	855,62	852,82	-	230	813	133	102	15,50	-	96,00
F0618	TL 216 14M 115	20	GG	216	4040	100	962,57	959,57	-	230	920	133	102	15,50	-	107,00