



Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK11 samocentrująca

kod	d x D mm	L1 mm	L2 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
							wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0014	25 x 55	32	40	46	799	64	314	107	6	M6x35	17	0,50
T0015	28 x 55	32	40	46	895	64	281	107	6	M6x35	17	0,60
T0016	30 x 55	32	40	46	959	64	262	107	6	M6x35	17	0,60
T0017	35 x 60	44	54	60	1306	75	185	83	7	M6x45	17	0,70
T0018	38 x 75	44	54	62	2567	135	308	121	7	M8x50	41	0,70
T0019	40 x 75	44	54	62	2702	135	293	121	7	M8x50	41	0,70
T0020	42 x 75	44	54	62	2837	135	279	121	7	M8x50	41	1,00
T0021	45 x 75	44	54	62	3040	135	260	121	7	M8x50	41	0,90
T0022	48 x 80	56	64	72	3707	154	216	102	8	M8x55	41	1,40
T0023	50 x 80	56	64	72	3861	154	207	102	8	M8x55	41	1,30
T0024	55 x 85	56	64	72	4779	174	212	108	9	M8x55	41	1,50
T0025	60 x 90	56	64	72	5793	193	216	113	10	M8x55	41	1,60
T0026	65 x 95	56	64	72	6276	193	199	107	10	M8x55	41	1,80
T0027	70 x 110	70	78	88	10951	313	235	120	10	M10x60	83	3,00
T0028	75 x 115	70	78	88	11773	313	220	115	10	M10x60	83	3,30
T0029	80 x 120	70	78	88	13768	344	227	121	11	M10x60	83	3,50
T0030	85 x 125	70	78	88	15959	376	233	127	12	M10x60	83	3,70
T0031	90 x 130	70	78	88	16898	376	220	122	12	M10x60	83	3,80
T0032	95 x 135	70	78	88	17837	376	208	117	12	M10x60	83	5,00
T0033	100 x 145	90	100	112	25029	501	211	113	11	M12x80	145	6,00
T0034	110 x 155	90	100	112	30039	546	209	115	12	M12x80	145	6,20
T0035	120 x 165	90	100	112	38226	637	224	127	14	M12x80	145	7,20
T0036	130 x 180	104	116	130	48270	743	201	117	12	M14x90	230	10,00
T0037	140 x 190	104	116	130	60654	866	217	129	14	M14x90	230	10,20
T0038	150 x 200	104	116	130	69628	928	217	132	15	M14x90	230	10,80
T0039	160 x 210	104	116	130	79220	990	217	134	16	M14x90	230	11,50
T0040	170 x 225	134	148	164	100851	1186	206	116	14	M16x120	360	17,00
T0041	180 x 235	134	148	164	114414	1271	208	119	15	M16x120	360	18,50
T0042	190 x 250	134	148	164	128814	1356	210	119	16	M16x120	360	21,50
T0043	200 x 260	134	148	164	135594	1356	200	115	16	M16x120	360	22,00
T0044	220 x 285	134	148	164	167805	1526	204	118	18	M16x120	360	25,00

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK




BK13 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
								wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0045	19 x 47	17	22	28	34	273	29	262	106	5	M6x20	13	0,30
T0046	20 x 47	17	22	28	34	287	29	249	106	5	M6x20	13	0,30
T0047	22 x 47	17	22	28	34	316	29	227	106	5	M6x20	13	0,30
T0048	24 x 50	17	22	28	34	413	34	249	120	6	M6x20	13	0,30
T0049	25 x 50	17	22	28	34	431	34	239	120	6	M6x20	13	0,30
T0050	28 x 55	17	22	28	34	482	34	213	109	6	M6x20	13	0,40
T0051	30 x 55	17	22	28	34	517	34	199	109	6	M6x20	13	0,30
T0052	32 x 60	17	22	28	34	734	46	249	133	8	M6x20	14	0,40
T0053	35 x 60	17	22	28	34	803	46	227	133	8	M6x20	13	0,40
T0054	38 x 65	17	22	28	34	872	46	210	122	8	M6x20	13	0,40
T0055	40 x 65	17	22	28	34	918	46	199	122	8	M6x20	13	0,40
T0057	45 x 75	20	25	33	41	1674	74	244	146	7	M8x25	32	0,60
T0058	50 x 80	20	25	33	41	1860	74	219	137	7	M8x25	32	0,80
T0059	55 x 85	20	25	33	41	2340	85	228	148	8	M8x25	32	0,80
T0060	60 x 90	20	25	33	41	2553	85	209	139	8	M8x25	32	0,80
T0061	65 x 95	20	25	33	41	3110	96	217	149	9	M8x25	32	0,90
T0062	70 x 110	24	30	40	50	4838	138	243	154	8	M10x30	65	1,80
T0063	75 x 115	24	30	40	50	5184	138	226	148	8	M10x30	65	1,80
T0064	80 x 120	24	30	40	50	5530	138	212	142	8	M10x30	65	1,80
T0065	85 x 125	24	30	40	50	6610	156	225	153	9	M10x30	65	2,00
T0066	90 x 130	24	30	40	50	6998	156	212	147	9	M10x30	65	2,10
T0067	95 x 135	24	30	40	50	8208	173	223	157	10	M10x30	65	2,10
T0068	100 x 145	26	32	44	56	9742	195	221	152	8	M12x35	110	2,80
T0069	110 x 155	26	32	44	56	10716	195	201	143	8	M12x35	110	3,00
T0070	120 x 165	26	32	44	56	13154	219	207	151	9	M12x35	110	3,20
T0071	130 x 180	34	40	52	64	18996	292	195	141	12	M12x35	110	4,80
T0072	140 x 190	34	40	54	68	20336	291	180	133	9	M14x40	170	5,20
T0073	150 x 200	34	40	54	68	24211	323	187	140	10	M14x40	170	5,40

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK15 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	D1 mm	przenoszony moment Mt Nm	ciężar powierzchniowy między		śruby zaciskające			[kg]
								wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła docisku Ms Nm	
T0077	14 x 55	17	22	31	39	62	234	415	106	4	M8x25	37	0,50
T0078	16 x 55	17	22	31	39	62	268	363	106	4	M8x25	37	0,50
T0079	18 x 55	17	22	31	39	62	333	357	117	4	M8x25	41	0,50
T0080	19 x 55	17	22	31	39	62	352	338	117	4	M8x25	41	0,50
T0081	20 x 55	17	22	31	39	62	370	321	117	4	M8x25	41	0,50
T0082	22 x 55	17	22	31	39	62	407	292	117	4	M8x25	41	0,50
T0083	24 x 55	17	22	31	39	62	445	268	117	4	M8x25	41	0,50
T0084	25 x 55	17	22	31	39	62	463	257	117	4	M8x25	41	0,50
T0085	28 x 55	17	22	31	39	62	519	229	117	4	M8x25	41	0,40
T0086	30 x 55	17	22	31	39	62	556	214	117	4	M8x25	41	0,40
T0087	24 x 65	17	22	31	39	72	556	335	124	5	M8x25	41	0,70
T0088	25 x 65	17	22	31	39	72	579	321	124	5	M8x25	41	0,70
T0089	28 x 65	17	22	31	39	72	649	287	124	5	M8x25	41	0,60
T0090	30 x 65	17	22	31	39	72	695	268	124	5	M8x25	41	0,60
T0091	32 x 65	17	22	31	39	72	741	251	124	5	M8x25	41	0,60
T0092	35 x 65	17	22	31	39	72	811	230	124	5	M8x25	41	0,50
T0093	38 x 65	17	22	31	39	72	917	211	124	5	M8x25	41	0,50
T0094	40 x 65	17	22	31	39	72	966	201	124	5	M8x25	41	0,50
T0095	30 x 80	20	25	33	41	87	972	318	119	7	M8x25	41	1,00
T0096	32 x 80	20	25	33	41	87	1037	299	119	7	M8x25	41	1,00
T0097	35 x 80	20	25	33	41	87	1134	273	119	7	M8x25	41	1,00
T0098	38 x 80	20	25	33	41	87	1231	251	119	7	M8x25	41	1,00
T0099	40 x 80	20	25	33	41	87	1296	239	119	7	M8x25	41	0,90
T0100	42 x 80	20	25	33	41	87	1361	227	119	7	M8x25	41	0,90
T0101	45 x 80	20	25	33	41	87	1458	212	119	7	M8x25	41	0,80
T0102	48 x 80	20	25	33	41	87	1555	199	119	7	M8x25	41	0,80
T0103	50 x 80	20	25	33	41	87	1620	191	119	7	M8x25	41	0,80

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK16 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	D1 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
									wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0104	19 x 47	17	22	28	34	56	243	26	234	94	5	M6x20	17	0,30
T0105	20 x 47	17	22	28	34	56	256	26	222	94	5	M6x20	17	0,30
T0106	22 x 47	17	22	28	34	56	282	26	202	94	5	M6x20	17	0,30
T0107	24 x 50	17	22	28	34	59	368	31	222	106	6	M6x20	17	0,30
T0108	25 x 50	17	22	28	34	59	383	31	213	106	6	M6x20	17	0,30
T0109	28 x 55	17	22	28	34	64	429	31	190	97	6	M6x20	17	0,40
T0110	30 x 55	17	22	28	34	64	460	31	177	97	6	M6x20	17	0,40
T0111	32 x 60	17	22	28	34	69	655	41	222	118	8	M6x20	17	0,40
T0112	35 x 60	17	22	28	34	69	716	41	203	118	8	M6x20	17	0,40
T0113	38 x 65	17	22	28	34	74	778	41	187	109	8	M6x20	17	0,50
T0114	40 x 65	17	22	28	34	74	819	41	178	109	8	M6x20	17	0,50
T0116	45 x 75	20	25	33	41	84	1458	65	212	127	7	M8x25	41	0,70
T0117	50 x 80	20	25	33	41	89	1620	65	191	119	7	M8x25	41	0,80
T0118	55 x 85	20	25	33	41	94	2037	74	199	129	8	M8x25	41	0,90
T0119	60 x 90	20	25	33	41	99	2223	74	182	121	8	M8x25	41	0,90
T0120	65 x 95	20	25	33	41	104	2710	83	189	129	9	M8x25	41	1,00
T0121	70 x 110	24	30	40	50	119	4203	120	211	134	8	M10x30	83	1,90
T0122	75 x 115	24	30	40	50	124	4754	120	197	128	8	M10x30	83	2,00
T0123	80 x 120	24	30	40	50	129	4804	120	184	123	8	M10x30	83	2,00
T0124	85 x 125	24	30	40	50	134	5742	135	195	133	9	M10x30	83	2,00
T0125	90 x 130	24	30	40	50	139	6080	135	184	128	9	M10x30	83	2,20
T0126	95 x 135	24	30	40	50	144	7131	150	194	137	10	M10x30	83	2,30
T0127	100 x 145	26	32	44	56	154	8732	175	198	137	8	M12x35	145	3,00
T0128	110 x 155	26	32	44	56	164	9605	175	180	128	8	M12x35	145	3,20
T0129	120 x 165	26	32	44	56	174	11787	196	186	135	9	M12x35	145	3,40
T0130	130 x 180	34	40	52	64	189	17024	262	175	126	12	M12x35	145	5,20
T0131	140 x 190	34	40	54	68	199	18703	267	166	122	9	M14x40	230	5,40
T0132	150 x 200	34	40	54	68	209	22259	297	172	129	10	M14x40	230	5,70

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK19 samocentrująca

kod	d mm	dw mm	D mm	L1 mm	L2 mm	L mm	nacisk powierzchniowy między wałem pw N/mm ²	przenoszony moment Mt Nm	siła osiowa F os. kN	śruby zaciskające			[kg]
										DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0136 T0137 T0138	24	19 20 21	50	14	19,50	23,00	272	216 265 314	23 27 30	6	M5x18	4	0,20
T0139 T0140 T0141	30	24 25 26	60	16	21,50	25,00	221	372 421 461	31 34 36	7	M5x18	4	0,30
T0142 T0143 T0144	36	26 28 30	72	18	23,50	27,50	292	471 550 713	36,3 39,3 47,5	5	M6x20	12	0,40
T0145 T0146 T0147	44	32 35 36	80	20	25,50	29,50	301	925 1175 1275	57,8 67,1 70,8	7	M6x20	12	0,60
T0148 T0149 T0150	50	38 40 42	90	22	27,50	31,50	275	1313 1638 1925	69,1 81,9 91,7	8	M6x25	12	0,80
T0151 T0152 T0153	55	42 45 48	100	23	30,50	34,50	239	1450 1900 2350	69 84,4 97,9	8	M6x25	12	1,10
T0154 T0155 T0156	62	48 50 52	110	23	30,50	34,50	265	2775 3275 3613	116 131 139	10	M6x25	12	1,30
T0157 T0158 T0159	68	50 75 80	115	23	30,50	34,50	242	2500 3125 3938	100 114 131	10	M6x25	12	1,40
T0160 T0161 T0162	75	55 100 110	138	25	32,50	37,80	259	3125 4000 4938	114 133 152	7	M8x30	30	1,70
T0163 T0164 T0165	80	60 140 155	145	25	32,50	37,80	243	4000 4875 5750	133 150 164	7	M8x30	30	1,90
T0166 T0167 T0168	90	65 70 75	155	30	39,00	44,30	257	5938 7500 9063	183 214 242	10	M8x35	30	3,30
T0169 T0170 T0171	100	70 75 80	170	34	44,00	49,30	245	8625 9375 11250	246 250 281	12	M8x35	30	4,70
T0172 T0173 T0174	110	75 80 85	185	39	50,00	56,40	232	9000 11250 13500	240 281 318	9	M10x40	59	5,90
T0175 T0176 T0177	125	85 90 95	215	42	54,00	60,40	253	13750 16250 18750	324 361 395	12	M10x40	59	8,30
T0178 T0179 T0180	140	95 100 105	230	46	60,50	68,00	251	18875 22000 25125	397 440 479	10	M12x45	100	10,00
T0181 T0182 T0183	155	105 110 115	265	50	64,50	72,00	250	27500 31250 35000	524 568 609	12	M12x50	100	15,00
T0184 T0185 T0186	165	115 120 125	290	56	71,00	81,00	263	38750 43750 48750	674 729 780	8	M16x55	250	22,00

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK25 samocentrująca

kod	d x D mm	L1 mm	B mm	D1 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		nakrętka zaciskająca		[kg]
							wałem pw N/mm ²	piastą pn N/mm ²	typ	siła dociągu Ms Nm	
T0190	14 x 25	6,50	17,00	32	52	7	241	135	M20x1	95	0,06
T0191	15 x 25	6,50	17,00	32	56	7	225	135	M20x1	95	0,06
T0192	16 x 25	6,50	17,00	32	60	7	211	135	M20x1	95	0,06
T0194	18 x 30	6,50	17,50	38	91	10	256	154	M25x1,5	160	0,07
T0195	19 x 30	6,50	18,00	38	96	10	242	154	M25x1,5	160	0,08
T0196	20 x 30	6,50	18,00	38	102	10	230	154	M25x1,5	160	0,08
T0198	24 x 35	6,50	18,00	45	139	12	218	150	M30x1,5	220	0,09
T0199	25 x 35	6,50	18,00	45	144	12	210	150	M30x1,5	220	0,09
T0200	28 x 40	6,50	18,00	52	215	15	248	174	M35x1,5	340	0,15
T0201	30 x 40	8,00	20,00	52	230	15	188	141	M35x1,5	340	0,14
T0203	35 x 45	8,00	22,00	58	331	19	199	155	M40x1,5	480	0,17
T0206	40 x 50	10,00	25,00	65	477	24	176	141	M45x1,5	680	0,26
T0208	45 x 55	10,00	26,00	70	617	27	180	147	M50x1,5	870	0,28
T0209	48 x 60	10,00	26,00	75	669	28	171	137	M55x2	970	0,31
T0210	50 x 60	10,00	26,00	75	697	28	164	137	M55x2	970	0,32
T0211	55 x 65	12,00	27,00	80	796	29	129	109	M60x2	1100	0,38
T0213	60 x 70	12,00	29,00	85	946	32	129	111	M65x2	1300	0,43
T0216	70 x 84	13,50	31,50	98	1433	41	128	106	M75x2	2000	0,65

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK26 samocentrująca

kod	d x D mm	L1 mm	B mm	D1 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		nakrętka zaciskająca			[kg]
							wałem pw N/mm ²	piastą pn N/mm ²	ilość	typ	siła dociągu Ms Nm	
T0217	15 x 25	20	31	32	77	9	91	55	1	M20x1	95	0,11
T0218	18 x 30	21	33	38	125	13	98	59	1	M25x1,5	160	0,13
T0219	19 x 30	21	33	38	132	13	93	59	1	M25x1,5	160	0,13
T0220	20 x 30	21	33	38	139	13	88	59	1	M25x1,5	160	0,15
T0221	24 x 35	25	38	45	202	15	74	51	1	M30x1,5	220	0,17
T0222	25 x 35	25	38	45	210	15	71	51	1	M30x1,5	220	0,17
T0223	28 x 40	28	44	52	312	20	76	53	1	M35x1,5	340	0,28
T0224	30 x 40	28	44	52	335	20	71	53	1	M35x1,5	340	0,26
T0225	35 x 45	28	45	58	483	25	75	58	1	M40x1,5	480	0,26
T0226	40 x 50	28	46	65	696	31	82	66	1	M45x1,5	680	0,33
T0227	45 x 55	28	47	70	902	36	84	69	1	M50x1,5	870	0,45
T0228	50 x 60	28	47	75	1014	37	77	64	1	M55x2	970	0,66
T0229	55 x 65	28	48	80	1158	38	73	61	1	M60x2	1100	0,72
T0230	60 x 70	28	50	85	1379	41	73	62	1	M65x2	1300	0,80

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK40 nie samocentrująca

kod	d x D mm	L1 mm	L2 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
							wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0231	19 x 47	17	20	26	298	31	286	116	8	M6x18	14,9	0,25
T0232	20 x 47	17	20	26	313	31	272	116	8	M6x18	14,9	0,24
T0233	22 x 47	17	20	26	345	31	247	116	8	M6x18	14,9	0,23
T0234	24 x 50	17	20	26	424	35	255	123	9	M6x18	14,9	0,26
T0235	25 x 50	17	20	26	441	35	245	123	9	M6x18	14,9	0,25
T0236	28 x 55	17	20	26	549	39	243	124	10	M6x18	14,9	0,30
T0237	30 x 55	17	20	26	588	39	227	124	10	M6x18	14,9	0,29
T0238	32 x 60	17	20	26	758	47	255	136	12	M6x18	14,9	0,30
T0239	35 x 60	17	20	26	822	47	233	136	12	M6x18	14,9	0,32
T0240	38 x 65	17	20	26	1042	55	250	146	14	M6x18	14,9	0,36
T0241	40 x 65	17	20	26	1097	55	238	146	14	M6x18	14,9	0,34
T0242	42 x 75	20	24	32	1740	83	291	163	12	M8x22	35,0	0,48
T0243	45 x 75	20	24	32	1864	83	271	163	12	M8x22	35,0	0,57
T0244	48 x 80	20	24	32	1988	83	254	153	12	M8x22	35,0	0,59
T0245	50 x 80	20	24	32	2071	83	244	153	12	M8x22	35,0	0,60
T0246	55 x 85	20	24	32	2658	97	259	168	14	M8x22	35,0	0,63
T0247	60 x 90	20	24	32	2900	64	238	158	14	M8x22	35,0	0,69
T0248	65 x 95	20	24	32	3587	110	250	171	16	M8x22	35,0	0,73
T0249	70 x 110	24	28	38	5345	153	268	171	14	M10x25	69,0	1,26
T0250	75 x 115	24	28	38	5752	153	250	163	14	M10x25	69,0	1,33
T0251	80 x 120	24	28	38	6108	153	235	156	14	M10x25	69,0	1,40
T0252	85 x 125	24	28	38	7417	175	252	172	16	M10x25	69,0	1,49
T0253	90 x 130	24	28	38	7854	175	238	165	16	M10x25	69,0	1,53
T0254	95 x 135	24	28	38	9326	196	254	179	18	M10x25	69,0	1,62
T0255	100 x 145	26	33	45	11362	227	258	178	14	M12x30	123,3	2,01
T0256	110 x 155	26	33	45	12498	227	234	166	14	M12x30	123,3	2,15
T0257	120 x 165	26	33	45	15578	260	245	178	16	M12x30	123,3	2,35
T0258	130 x 180	34	38	50	21095	325	217	156	20	M12x35	123,3	3,51
T0259	140 x 190	34	38	50	24993	357	221	163	22	M12x35	123,3	3,85
T0260	150 x 200	34	38	50	29217	390	225	169	24	M12x35	123,3	4,07
T0261	160 x 210	34	38	50	33756	422	229	174	26	M12x35	123,3	4,30
T0262	170 x 225	38	44	58	39483	465	212	160	22	M14x40	187,0	5,80
T0263	180 x 235	38	44	58	45606	507	218	167	24	M14x40	187,0	6,00
T0264	190 x 250	46	52	66	56163	591	199	152	28	M14x45	187,0	8,50
T0265	200 x 260	46	52	66	63342	633	203	156	30	M14x45	187,0	8,60

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK50 nie samocentrująca

kod	d x D mm	L1 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		[kg]
						wąłem pw N/mm ²	piastą pn N/mm ²	
T0266	12 x 15	3,70	4,50	9,9	1,65	100	80	0,01
T0267	14 x 18	5,30	6,30	18,9	2,70	100	77	0,01
T0268	15 x 19	5,30	6,30	22,1	2,94	100	79	0,01
T0269	16 x 20	5,30	6,30	25,4	3,18	100	81	0,01
T0271	18 x 22	5,30	6,30	31,8	3,53	100	82	0,01
T0272	19 x 24	5,30	6,30	35,8	3,76	100	80	0,01
T0273	20 x 25	5,30	6,30	38,8	3,88	100	79	0,01
T0274	22 x 26	5,30	6,30	47,9	4,35	100	86	0,01
T0275	24 x 28	5,30	6,30	56,4	4,70	100	86	0,01
T0276	25 x 30	5,30	6,30	61,7	4,94	100	84	0,01
T0277	28 x 32	5,30	6,30	77,4	5,53	100	88	0,01
T0278	30 x 35	5,30	6,30	88,2	5,88	100	86	0,01
T0279	32 x 36	5,30	6,30	100,0	6,23	100	88	0,02
T0280	35 x 40	6,00	7,00	136,0	7,76	100	88	0,02
T0282	38 x 44	6,00	7,00	161,0	8,47	100	87	0,02
T0283	40 x 45	6,60	8,00	195,0	9,80	100	89	0,03
T0284	42 x 48	6,60	8,00	215,0	10,20	100	87	0,04
T0285	45 x 52	8,60	10,00	323,0	14,30	100	87	0,04
T0286	48 x 55	8,60	10,00	367,0	15,30	100	88	0,05
T0287	50 x 57	8,60	10,00	397,0	15,90	100	88	0,05
T0288	55 x 62	8,60	10,00	479,0	17,40	100	88	0,06
T0290	60 x 68	10,40	12,00	691,0	23,0	100	88	0,07
T0292	65 x 73	10,40	12,00	814,0	25,0	100	89	0,08
T0293	70 x 79	12,20	14,00	1107,0	31,6	100	89	0,11
T0295	75 x 84	12,20	14,00	1266,0	33,8	100	89	0,12
T0296	80 x 91	15,00	17,00	1769,0	44,2	100	89	0,20
T0297	90 x 101	15,00	17,00	2244,0	49,9	100	89	0,22
T0298	100 x 114	18,70	21,00	3452,0	69,0	100	89	0,38

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK61 samocentrująca

kod	d x D mm	L1 mm	L2 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające		[kg]
							wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	
T0299	10 x 20	12,50	13	15,50	20	4	124	62	4 x M 2,5	1,20	0,02
T0300	11 x 22	12,50	13	15,50	22	4	113	56	4 x M 2,5	1,20	0,02
T0301	12 x 22	12,50	13	15,50	24	4	104	56	4 x M 2,5	1,20	0,02
T0302	14 x 26	16,50	17	20,00	42	6	99	53	4 x M 3	2,10	0,04
T0303	15 x 28	16,50	17	20,00	44	6	93	50	4 x M 3	2,10	0,04
T0304	16 x 32	16,50	17	21,00	83	10	152	76	4 x M 4	4,90	0,07
T0305	17 x 35	20,50	21	25,00	88	10	116	56	4 x M 4	4,90	0,09
T0306	18 x 35	20,50	21	25,00	93	10	109	56	4 x M 4	4,90	0,09
T0307	19 x 35	20,50	21	25,00	99	10	104	56	4 x M 4	4,90	0,08
T0308	20 x 38	20,50	21	26,00	170	17	161	85	4 x M 5	10,00	0,10
T0309	22 x 40	20,50	21	26,00	187	17	146	80	4 x M 5	10,00	0,11
T0310	24 x 47	25,00	26	32,00	287	24	153	78	4 x M 6	17,00	0,20
T0311	25 x 47	25,00	26	32,00	299	24	147	78	4 x M 6	17,00	0,19
T0312	28 x 50	25,00	26	32,00	503	36	196	110	6 x M 6	17,00	0,22
T0313	30 x 55	25,00	26	32,00	539	36	183	100	6 x M 6	17,00	0,27
T0314	32 x 55	25,00	26	32,00	575	36	172	100	6 x M 6	17,00	0,25
T0315	35 x 60	30,00	31	37,00	838	48	176	102	8 x M 6	17,00	0,36
T0316	38 x 65	30,00	31	37,00	910	48	162	95	8 x M 6	17,00	0,43
T0317	40 x 65	30,00	31	37,00	958	48	154	95	8 x M 6	17,00	0,40
T0318	42 x 75	35,00	36	44,00	1394	66	175	98	6 x M 8	41,00	0,67
T0319	45 x 75	35,00	36	44,00	1493	66	163	98	6 x M 8	41,00	0,63
T0320	48 x 80	35,00	36	44,00	2124	88	204	122	8 x M 8	41,00	0,74
T0321	50 x 80	35,00	36	44,00	2212	88	196	122	8 x M 8	41,00	0,70

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK70 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
								walec pw N/mm ²	piasta pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0322	19 x 47	26	31	39	45	307	32	193	78	4	M6x25	17	0,39
T0323	20 x 47	26	31	39	45	323	32	183	78	4	M6x25	17	0,38
T0324	22 x 47	26	31	39	45	355	32	166	78	4	M6x25	17	0,37
T0325	24 x 50	26	31	39	45	382	48	229	110	6	M6x25	17	0,43
T0326	25 x 50	26	31	39	45	606	48	220	110	6	M6x25	17	0,42
T0327	28 x 55	26	31	39	45	679	48	196	100	6	M6x25	17	0,55
T0328	30 x 55	26	31	39	45	727	48	183	100	6	M6x25	17	0,56
T0329	32 x 60	26	31	39	45	1033	65	229	122	8	M6x25	17	0,60
T0330	35 x 60	26	31	39	45	1130	65	209	122	8	M6x25	17	0,50
T0331	38 x 65	26	31	39	45	1227	65	193	113	8	M6x25	17	0,60
T0332	40 x 65	26	31	39	45	1292	65	183	113	8	M6x25	17	0,60
T0333	42 x 75	30	36	47	55	1835	87	204	115	6	M8x30	41	1,00
T0334	45 x 75	30	36	47	55	1966	87	191	115	6	M8x30	41	1,00
T0335	48 x 80	30	36	47	55	2097	87	179	107	6	M8x30	41	1,10
T0336	50 x 80	30	36	47	55	2184	87	172	107	6	M8x30	41	1,00
T0337	55 x 85	30	36	47	55	3202	116	208	135	8	M8x30	41	1,10
T0338	60 x 90	30	36	47	55	3493	116	191	127	8	M8x30	41	1,20
T0339	65 x 95	30	36	47	55	3734	116	176	120	8	M8x30	41	1,30
T0340	70 x 110	40	46	57	67	6607	189	199	127	8	M10x35	83	2,20
T0341	75 x 115	40	46	62	72	7079	189	186	121	8	M10x35	83	2,50
T0342	80 x 120	40	46	62	72	7551	189	174	116	8	M10x35	83	2,60
T0343	85 x 125	40	46	62	72	10029	236	205	139	10	M10x35	83	2,80
T0344	90 x 130	40	46	62	72	10619	236	193	134	10	M10x35	83	2,70
T0345	95 x 135	40	46	62	72	11209	236	183	129	10	M10x35	83	2,90
T0346	100 x 145	46	52	77	89	13738	275	176	121	8	M12x45	145	3,90
T0347	110 x 155	46	52	77	89	15111	278	160	114	8	M12x45	145	4,20
T0348	120 x 165	46	52	77	89	20606	343	183	133	10	M12x45	145	4,80
T0349	130 x 180	46	52	77	89	26788	412	203	147	12	M12x45	145	5,00
T0350	140 x 190	51	59	84	98	26142	373	154	114	8	M14x45	230	6,50
T0351	150 x 200	51	59	84	98	35016	467	180	135	10	M14x45	230	7,00

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK





BK71 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	D1 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
									wątem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0355	19 x 47	26	31	39	45	53	202	21	127	51	4	M6x20	17	0,45
T0356	20 x 47	26	31	39	45	53	213	21	121	51	4	M6x20	17	0,46
T0357	22 x 47	26	31	39	45	53	234	21	110	51	4	M6x20	17	0,50
T0358	24 x 50	26	31	39	45	56	384	32	151	73	6	M6x20	17	0,50
T0359	25 x 50	26	31	39	45	56	400	32	145	73	6	M6x20	17	0,50
T0360	28 x 55	26	31	39	45	61	448	32	129	66	6	M6x20	17	0,60
T0361	30 x 55	26	31	39	45	61	480	32	121	66	6	M6x20	17	0,60
T0362	32 x 60	26	31	39	45	66	683	43	151	81	8	M6x20	17	0,70
T0363	35 x 60	26	31	39	45	66	747	43	138	81	8	M6x20	17	0,60
T0364	38 x 65	26	31	39	45	71	811	43	127	74	8	M6x20	17	0,80
T0365	40 x 65	26	31	39	45	71	853	43	121	74	8	M6x20	17	0,60
T0366	42 x 75	30	36	47	55	81	1216	58	135	76	6	M8x30	41	1,20
T0367	45 x 75	30	36	47	55	81	1302	58	126	76	6	M8x30	41	1,10
T0368	48 x 80	30	36	47	55	86	1389	58	119	71	6	M8x30	41	1,30
T0369	50 x 80	30	36	47	55	86	1447	58	114	71	6	M8x30	41	1,10
T0370	55 x 85	30	36	47	55	91	2124	77	138	89	8	M8x30	41	1,20
T0371	60 x 90	30	36	47	55	96	2317	77	127	84	8	M8x30	41	1,30
T0372	65 x 95	30	36	47	55	101	2510	77	117	80	8	M8x30	41	1,40
T0373	70 x 110	40	46	57	67	116	4381	125	132	84	8	M10x35	83	2,50
T0374	75 x 115	40	46	62	72	121	4694	125	123	80	8	M10x35	83	2,60
T0375	80 x 120	40	46	62	72	126	5007	125	115	77	8	M10x35	83	2,80
T0376	85 x 125	40	46	62	72	131	6651	156	136	92	10	M10x35	83	2,80
T0377	90 x 130	40	46	62	72	136	7042	156	128	89	10	M10x35	83	3,00
T0378	95 x 135	40	46	62	72	141	7433	156	121	85	10	M10x35	83	3,00
T0379	100 x 145	46	52	77	89	151	9104	182	117	81	8	M12x45	145	5,50
T0380	110 x 155	46	52	77	89	161	10015	182	106	75	8	M12x45	145	4,80
T0381	120 x 165	46	52	77	89	171	13653	228	122	88	10	M12x45	145	5,50
T0382	130 x 180	46	52	77	89	186	17747	273	135	97	12	M12x45	145	6,00
T0383	140 x 190	51	59	84	98	196	17328	248	102	75	8	M14x45	230	7,50
T0384	150 x 200	51	59	84	98	206	23207	309	119	89	10	M14x45	230	7,70

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK




BK80 samocentrująca

kod	d x D mm	L1 mm	L2 mm	L3 mm	B mm	D1 mm	D2 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	nacisk powierzchniowy między		śruby zaciskające			[kg]
										wałem pw N/mm ²	piastą pn N/mm ²	DIN 912 ilość	12.9 typ	siła dociągu Ms Nm	
T0388	8 x 15	12	21	24	28	28	32	39	10	299	159	4	M4x10	4,81	0,16
T0389	9 x 16	14	23	27	31	28	32	44	10	227	128	4	M4x12	5,20	0,16
T0390	10 x 16	14	23	27	31	28	32	49	10	205	128	4	M4x12	5,20	0,17
T0391	11 x 18	14	23	27	31	30	34	53	10	186	114	4	M4x12	5,20	0,17
T0392	12 x 18	14	23	27	31	30	34	58	10	171	114	4	M4x12	5,20	0,18
T0393	14 x 23	14	23	27	31	35	39	68	10	146	89	4	M4x12	5,20	0,20
T0394	15 x 24	16	29	36	42	40	45	120	16	196	123	3	M6x18	17,00	0,21
T0395	16 x 24	16	29	36	42	40	45	128	16	184	123	3	M6x18	17,00	0,23
T0396	18 x 26	18	31	38	44	42	47	191	21	194	134	4	M6x18	17,00	0,27
T0397	19 x 27	18	31	38	44	43	48	202	21	183	129	4	M6x18	17,00	0,29
T0398	20 x 28	18	31	38	44	44	49	213	21	174	124	4	M6x18	17,00	0,30
T0399	22 x 32	25	38	45	51	48	54	234	21	114	78	4	M6x18	17,00	0,38
T0400	24 x 34	25	38	45	51	50	56	255	21	105	74	4	M6x18	17,00	0,41
T0401	25 x 34	25	38	45	51	50	56	266	21	100	74	4	M6x18	17,00	0,45
T0402	28 x 39	25	38	45	51	55	61	373	27	112	81	5	M6x18	17,00	0,47
T0403	30 x 41	25	38	45	51	57	63	480	32	126	92	6	M6x18	17,00	0,48
T0404	32 x 43	30	43	50	56	59	65	511	32	98	73	6	M6x18	17,00	0,51
T0405	35 x 47	30	43	50	56	63	69	747	43	120	89	8	M6x18	17,00	0,63
T0406	38 x 50	30	43	50	56	66	72	811	43	110	84	8	M6x18	17,00	0,67
T0407	40 x 53	32	45	52	58	69	75	959	48	110	83	9	M6x18	17,00	0,73
T0408	42 x 55	32	45	52	58	71	77	1007	48	105	80	9	M6x18	17,00	0,78
T0409	45 x 59	40	56	64	72	79	85	1781	79	130	99	8	M8x22	42,00	1,23
T0410	48 x 62	40	56	64	72	82	88	1900	79	122	94	8	M8x22	42,00	1,24
T0411	50 x 65	50	66	74	82	85	92	2473	99	117	90	10	M8x22	42,00	1,40
T0412	55 x 71	50	66	74	82	91	98	2721	99	106	82	10	M8x22	42,00	1,70
T0413	60 x 77	50	66	74	82	97	104	2968	99	97	76	10	M8x22	42,00	1,76
T0414	65 x 84	50	66	74	82	104	111	3215	99	90	69	10	M8x22	42,00	2,21
T0415	70 x 90	60	80	91	101	115	122	4430	127	89	69	8	M10x25	84,00	3,05
T0416	75 x 95	60	80	91	101	119	126	5338	142	93	74	9	M10x25	84,00	3,32
T0417	80 x 100	65	85	96	106	124	131	7595	190	108	86	12	M10x25	84,00	3,50
T0418	85 x 106	65	85	96	106	130	137	8069	190	101	81	12	M10x25	84,00	3,60
T0419	90 x 112	65	85	96	106	136	143	9968	222	112	90	14	M10x25	84,00	3,90
T0420	95 x 120	65	85	96	106	144	153	10522	222	106	84	14	M10x25	84,00	4,40
T0421	100 x 125	65	89	102	114	153	162	13651	273	124	99	12	M12x30	145,00	4,60
T0422	110 x 140	70	94	107	119	168	177	15016	273	105	82	12	M12x30	145,00	8,70
T0423	120 x 155	90	114	127	139	185	195	21844	364	99	77	16	M12x30	145,00	10,70
T0424	130 x 165	90	114	127	139	195	205	23664	364	92	72	16	M12x30	145,00	11,30
T0425	140 x 175	90	114	127	139	205	215	25485	364	85	68	16	M12x30	145,00	11,90
T0426	150 x 185	90	114	127	139	215	225	27305	364	80	64	16	M12x30	145,00	12,50

Tuleje montażowe

Tuleje rozprężno-zaciskowe BK



BK95 samocentrująca

kod	d x D mm	L mm	L1 mm	L2 mm	L3 mm	przenoszony moment Mt Nm	siła osiowa F os. kN	śruby zaciskające		
								DIN 912 ilość	12.9 typ	siła dociągu Ms Nm
T0635	17 x 50	56	50	16,00	44	179	21	4	M6x45	17
T0636	18 x 50	56	50	16,00	44	190	21	4	M6x45	17
T0637	19 x 50	56	50	16,00	44	200	21	4	M6x45	17
T0638	20 x 50	56	50	16,00	44	211	21	4	M6x45	17
T0639	24 x 55	66	60	18,50	54	378	32	6	M6x55	17
T0640	25 x 55	66	60	18,50	54	394	32	6	M6x55	17
T0641	28 x 60	66	60	18,50	54	442	32	6	M6x55	17
T0642	30 x 60	66	60	18,50	54	473	32	6	M6x55	17
T0643	32 x 63	66	60	18,50	54	505	32	6	M6x55	17
T0644	35 x 75	83	75	22,00	67	682	39	4	M8x70	42
T0645	38 x 75	83	75	22,00	67	741	39	4	M8x70	42
T0646	40 x 75	83	75	22,00	67	780	39	4	M8x70	42
T0647	42 x 78	83	75	22,00	67	819	39	4	M8x70	42
T0648	45 x 85	93	85	24,50	76	1317	59	6	M8x80	42
T0649	48 x 90	93	85	24,50	76	1405	59	6	M8x80	42
T0650	50 x 90	93	85	24,50	76	1463	59	6	M8x80	42
T0651	55 x 94	93	85	24,50	76	2147	78	8	M8x80	42
T0652	60 x 100	93	85	24,50	76	2343	78	8	M8x80	42
T0653	65 x 105	93	85	24,50	76	2538	78	8	M8x80	42
T0654	70 x 115	110	100	29,00	90	4321	123	8	M10x95	83