

2022



# 齒輪減速機 GEAR MOTOR

直交軸  
RIGHT ANGLE  
平行軸  
PARALLEL



SK SGW

SLF



SLH



SNE



SV



SH



<60W> 0.1kW ~ 2.2kW

# LIMING REDUCERS

## 小型齒輪減速機系列 SMALL GEAR REDUCER



## 小型戟齒輪減速機系列 SMALL HYPOID GEAR REDUCER



## 小型同心軸戟齒輪減速機系列 SMALL HYPOID GEAR REDUCER(Concentric Shaft)



註：另有實心軸系列 (SK-D)

NOTE: There are also solid shaft series (SK-D)


## 小型蝸輪減速機系列 SMALL WORM REDUCER



### ■ 臥式高速比多段減速機

### Horizontal High Gear Ratio & Multi-Stage Reducemodel

### ■ MODEL : SHLS



unit: mm

馬力 Horse Power	型號 Model	減速比 Ratio	A	E	B	J	I	C	H	Y	N	X	L	M	V	出力軸 Output Shaft					重量 Weight (KG)
																D	S	W	T	U	
60W	11	1/2000 以上	57	65	90	130	155	95	145	13	9	17	380	101	98	22	40	7	7	18	10
90W	11		57	65	90	130	155	95	145	13	9	17	395	101	98	22	40	7	7	18	10
1/8HP (0.1kW)	12		66	90	120	140	180	115	175	15	11	23	415	108	123	28	45	7	7	24	12
1/4HP (0.2kW)	13		78	130	165	170	210	130	205	18	13	26	455	115	137	32	55	10	8	27	18
1/2HP (0.4kW)	14		95	150	195	210	255	150	240	20	15	28	520	121	151	40	65	10	8	35	35
1HP (0.75kW)	15		112	170	225	265	330	185	295	25	19	38	585	128	163	50	80	14	9	44.5	54


注：多速比減速機以定轉速設計，請參考齒箱最大容許扭力。

NOTE: This multistage gear reducer is designed to rotate at fixed speed. Please refer to the maximum allowable torque of the gear box.

### ■ 立式高速比多段減速機

### Vertical High Gear Ratio & Multi-Stage Reducer

### ■ MODEL : SVLS



unit: mm

馬力 Horse Power	型號 Model	減速比 Ratio	A	B	C	M	N	I	E	G	Y	X	L	V	出力軸 Output Shaft					重量 Weight (KG)
															D	S	W	T	U	
60W	SVLS-A11	1/2000 以上	145	145	170	101	11	-	47	4	12	17	380	98	22	40	7	7	18	10
	SVLS-11		174	174	185	101	11	140	49	4	12	17	380	98	22	40	7	7	18	10
90W	SVLS-A11		145	145	170	101	11	-	47	4	12	17	395	98	22	40	7	7	18	10
	SVLS-11		174	174	185	101	11	140	49	4	12	17	395	98	22	40	7	7	18	10
1/8HP (0.1kW)	12		217	217	235	108	11	180	57	6	15	23	415	123	28	45	7	7	24	12
1/4HP (0.2kW)	13		250	250	280	115	13	220	65	5	17	26	455	137	32	55	10	8	27	18
1/2HP (0.4kW)	14	260	276	310	121	18	230	77	5	20	28	520	151	40	65	10	8	35	35	

注：多速比減速機以定轉速設計，請參考齒箱最大容許扭力。

NOTE: This multistage gear reducer is designed to rotate at fixed speed. Please refer to the maximum allowable torque of the gear box.