




Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego


DIN 8187 - ISO / R 606




typ 1




typ 1*




typ 2



typ 3



typ 4





typ 5

Materiał: stal C 45			3/8" x 7/32"						podziałka 9,525 mm			B1	B2	B3	b1	C	r3			
												5,3	15,4	25,6	5,2	1	10			
Z	de	dp	1-rzędowe 06B-1						2-rzędowe 06B-2						3-rzędowe 06B-3					
			kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]
17	55,50	51,83	P1316	45*	22	1008	1	0,11	P1333	42	22	1008	2	0,11	P1343	-	25,60	1008	5	0,15
18	58,60	54,85	P1317	45*	22	1008	1	0,14	P1745	43	22	1008	2	0,12	-	-	-	-	-	-
19	61,60	57,87	P1318	45	22	1008	1	0,15	P1334	46	22	1008	2	0,18	P1344	-	25,60	1008	5	0,24
20	64,60	60,89	P1319	46	22	1008	1	0,16	P1746	48	22	1008	2	0,18	-	-	-	-	-	-
21	67,60	63,91	P1320	46	22	1008	1	0,18	P1335	49	22	1008	2	0,20	P1345	-	25,60	1008	5	0,34
22	70,60	66,93	P1321	50	22	1108	1	0,25	P1747	52	22	1108	2	0,25	-	-	-	-	-	-
23	73,70	69,95	P1322	63*	25	1210	1	0,27	P1336	59	25	1210	2	0,27	P1346	-	25,60	1210	5	0,30
24	76,70	72,97	P1323	63	25	1210	1	0,30	P1748	61	25	1210	2	0,35	-	-	-	-	-	-
25	79,70	76,02	P1324	63	25	1210	1	0,32	P1337	64	25	1210	2	0,37	P1347	-	25,60	1210	5	0,41
26	82,70	79,02	P1325	63	25	1210	1	0,33	P1749	65	25	1210	2	0,40	-	-	-	-	-	-
27	85,70	82,02	P1326	63	25	1210	1	0,34	P1338	70	25	1210	2	0,50	P1348	-	25,60	1210	5	0,55
28	88,80	85,07	P1327	63	25	1210	1	0,37	P1750	70	25	1210	2	0,60	-	-	-	-	-	-
30	94,80	91,12	P1328	63	25	1210	1	0,39	P1339	75	25	1210	2	0,68	P1349	79	38,00	1615	4	0,88
38	119,00	115,35	P1329	70	25	1210	1	0,65	P1340	80	25	1610	2	1,03	P1350	90	38,00	1615	4	1,75
45	141,10	136,55	P1330	70	25	1210	1	1,01	P1751	80	25	1610	2	1,50	-	-	-	-	-	-
57	177,50	172,91	P1331	70	25	1210	1	1,34	P1341	80	25	1610	2	1,16	-	-	-	-	-	-
95	292,50	288,08	P1743	80	25	1210	1	-	-	-	-	-	-	-						
114	349,50	545,68	P1744	80	38	1215	1	-	P1753	95	38	1615	2	11,20						


Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego


DIN 8187 - ISO / R 606




typ 1




typ 1*




typ 2



typ 3



typ 4










typ 5

Materiał: stal C 45			1/2" x 5/16"						podziałka 12,7 mm			B1	B2	B3	b1	C	r3			
												7,2	21	34,9	7	1,3	13			
Z	de	dp	1-rzędowe 08B-1						2-rzędowe 08B-2						3-rzędowe 08B-3					
			kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]
15	66,50	61,90	P1351	45	22	1008	1	0,16	P1370	46	22	1008	2	0,22	P1381	-	34,90	1008	5	0,36
16	69,90	65,10	P1352	50	22	1108	1	0,20	P1756	50	22	1108	2	0,30	-	-	-	-	-	-
17	74,50	69,11	P1353	60*	25	1210	1	0,22	P1371	56	25	1210	2	0,35	P1382	-	34,90	1210	5	0,35
18	78,00	73,14	P1354	60*	25	1210	1	0,27	P1757	60	25	1210	2	0,40	-	-	-	-	-	-
19	82,50	77,16	P1355	63	25	1210	1	0,33	P1372	62	25	1210	2	0,45	P1383	-	34,90	1210	5	0,61
20	86,00	81,19	P1356	71*	25	1610	1	0,27	P1758	66	25	1610	2	0,48	-	-	-	-	-	-
21	90,60	85,22	P1357	71	25	1610	1	0,36	P1373	70	25	1610	2	0,50	P1384	-	34,90	1610	5	0,65
22	94,10	89,24	P1358	71	25	1610	1	0,36	P1759	76	25	1610	2	0,55	-	-	-	-	-	-
23	98,70	93,27	P1359	76	25	1610	1	0,50	P1374	79	25	1610	2	0,62	P1385	-	34,90	1610	5	0,93
24	102,10	97,29	P1360	76	25	1610	1	0,53	-	-	-	-	-	-	-	-	-	-	-	
25	106,70	101,33	P1361	76	25	1610	1	0,56	P1375	87	32	2012	2	0,72	P1386	-	34,90	2012	5	0,85
26	110,20	105,36	P1362	76	25	1610	1	0,60	P1761	87	32	2012	2	0,80	-	-	-	-	-	-
27	114,80	109,40	P1363	76	25	1610	1	0,63	P1376	87	32	2012	2	0,92	P1387	-	34,90	2012	5	1,18
28	118,30	113,42	P1364	90	32	2012	1	0,77	-	-	-	-	-	-	-	-	-	-	-	
30	126,90	121,50	P1365	90	32	2012	1	0,91	P1377	87	32	2012	2	1,24	P1388	-	34,90	2012	5	1,73
38	159,20	153,80	P1366	90	32	2012	1	1,25	P1378	100	32	2012	2	2,50	P1389	-	34,90	2012	5	3,53
45	188,60	182,07	P1367	100	32	2012	1	1,68	P1763	100	32	2012	2	2,98	-	-	-	-	-	-
57	237,10	230,54	P1368	100	32	2012	1	2,78	P1379	100	32	2012	2	3,64	-	-	-	-	-	-
76	313,90	307,33	P1369	100	32	2012	1	3,81	-	-	-	-	-	-	-	-	-	-	-	
95	390,10	384,11	P1754	100	32	2012	1	-	P1764	100	32	2012	2	15,00						
114	466,90	460,90	P1755	110	45	2517	1	-	P1765	110	45	2517	2	25,00						

Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego

DIN 8187 - ISO / R 606










Materiał: stal C 45			5/8" x 3/8"						podziątka 15,875 mm			B1 9,1	B2 25,5	B3 42,1	b1 9	C 1,6	r3 16			
Z	de	dp	1-rzędowe 10B-1						2-rzędowe 10B-2						3-rzędowe 10B-3					
			kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]
13	73,20	66,32	P1390	47	22	1008	1	0,23	P1769	-	25,50	1108	3	0,30	-	-	-	-	-	-
14	78,20	71,34	P1391	52	22	1108	1	0,27	-	-	-	-	-	-	-	-	-	-	-	-
15	83,20	76,36	P1392	60	25	1210	1	0,30	P1410	-	25,50	1210	3	0,38	P1418	-	42,10	1210	5	0,63
16	88,30	81,37	P1393	70*	25	1610	1	0,38	-	-	-	-	-	-	-	-	-	-	-	-
17	93,30	86,36	P1394	71*	25	1610	1	0,38	P1411	-	25,50	1610	3	0,47	P1419	-	42,10	1210	5	1,01
18	98,30	91,42	P1395	75	25	1610	1	0,43	-	-	-	-	-	-	-	-	-	-	-	-
19	103,30	96,45	P1396	75	25	1610	1	0,54	P1412	-	25,50	1610	3	0,72	P1420	-	42,10	1615	5	1,19
20	108,40	101,49	P1397	75	25	1610	1	0,61	P1770	-	25,50	1610	3	0,80	-	-	-	-	-	-
21	113,40	106,52	P1398	76	25	1610	1	0,65	P1413	-	25,50	1610	3	1,01	P1421	-	42,10	1615	5	1,66
22	118,40	111,55	P1399	76	25	1610	1	0,72	P1771	-	25,50	1610	3	1,28	-	-	-	-	-	-
23	123,50	116,58	P1400	76	25	1610	1	0,77	P1414	-	25,50	1610	3	1,35	P1422	-	42,10	2012	5	1,78
24	128,50	121,62	P1401	90	32	2012	1	0,98	-	-	-	-	-	-	-	-	-	-	-	-
25	133,60	126,66	P1402	90	32	2012	1	1,05	P1415	90	32,00	2012	2	1,55	P1423	105	45,00	2517	4	1,81
26	138,60	131,70	P1403	90	32	2012	1	1,11	-	-	-	-	-	-	-	-	-	-	-	-
27	143,60	136,75	P1404	90	32	2012	1	1,17	P1416	90	32,00	2012	2	1,98	P1424	110	45,00	2517	4	2,45
28	148,70	141,78	P1405	90	32	2012	1	1,29	-	-	-	-	-	-	-	-	-	-	-	-
30	158,80	151,87	P1406	90	32	2012	1	1,40	P1417	90	32,00	2012	2	2,63	P1425	120	45,00	2517	4	3,54
38	199,10	192,24	P1407	100	32	2012	1	2,43	P1772	108	45,00	2517	2	4,69	-	-	-	-	-	-
45	235,00	227,58	P1766	100	32	2012	1	3,15	-	-	-	-	-	-	-	-	-	-	-	-
57	296,60	288,18	P1408	100	32	2012	1	4,28	-	-	-	-	-	-	-	-	-	-	-	-
76	392,50	384,16	P1409	100	32	2012	1	5,95												
95	488,50	480,14	P1767	110	45	2517	1	13,00												
114	584,10	576,13	P1768	110	45	2517	1	20,00												

Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego

DIN 8187 - ISO / R 606





Materiał: stal C 45			3/4" x 7/16"						podziałka 19,05 mm			B1	B2	B3	b1	C	r3			
									11,1			30,3	49,8	10,8	2	19				
Z	de	dp	1-rzędowe 12B-1						2-rzędowe 12B-2						3-rzędowe 12B-3					
			kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]
13	87,80	79,59	P1426	60	25	1210	1	0,35	-	-					-	-	-	-	-	
14	93,80	85,61	P1427	70	25	1610	1	0,40	-	-					-	-	-	-	-	
15	99,80	91,63	P1428	70	25	1610	1	0,44	P1447	-	30,30	1610	3	0,78	P1458	-	49,80	1615	5	1,11
16	105,80	97,65	P1429	75	25	1610	1	0,53	P1775	-	30,30	1610	3	0,85	-	-	-	-	-	
17	111,90	103,67	P1430	76	25	1610	1	0,66	P1448	-	30,30	1610	3	1,14	P1459	-	49,80	2012	5	1,75
18	117,90	109,71	P1431	90	32	2012	1	0,86	P1776	90	32,00	2012	2	1,24	-	-	-	-	-	
19	123,90	115,75	P1432	90	32	2012	1	0,94	P1449	90	32,00	2012	2	1,28	P1460	-	49,80	2012	5	2,02
20	130,00	121,78	P1433	90	32	2012	1	1,04	P1777	108*	45,00	2517	2	1,50	-	-	-	-	-	
21	136,00	127,82	P1434	102	45	2517	1	1,24	P1450	108	45,00	2517	2	1,68	P1461	-	49,80	2517	5	2,09
22	142,00	133,86	P1435	102	45	2517	1	1,60	P1778	108	45,00	2517	2	2,00	-	-	-	-	-	
23	148,10	139,90	P1436	108	45	2517	1	1,70	P1451	108	45,00	2517	2	2,24	P1462	-	49,80	2517	5	3,00
24	154,10	145,94	P1437	108	45	2517	1	1,81	P1779	108	45,00	2517	2	2,60	-	-	-	-	-	
25	160,20	152,00	P1438	108	45	2517	1	1,93	P1452	108	45,00	2517	2	2,87	P1463	-	49,80	2517	5	3,98
26	166,20	158,04	P1439	108	45	2517	1	2,04	P1780	108	45,00	2517	2	3,20	-	-	-	-	-	
27	172,30	164,00	P1440	108	45	2517	1	2,14	P1453	108	45,00	2517	2	3,55	P1464	140	51,00	3020	4	3,90
28	178,30	170,13	P1441	108	45	2517	1	2,37	P1781	108	45,00	2517	2	4,00	-	-	-	-	-	
30	190,40	182,25	P1442	108	45	2517	1	2,60	P1454	108	45,00	2517	2	4,62	P1465	140	51,00	3020	4	5,64
38	238,90	230,69	P1443	108	45	2517	1	3,93	P1455	140	51,00	3020	2	8,11	P1466	140	51,00	3020	4	11,58
45	283,20	273,10	P1444	108	45	2517	1	5,52	P1782	140	51,00	3020	2	9,50	P1784	140	51,00	3020	4	18,00
57	355,90	345,81	P1445	108	45	2517	1	6,48	P1456	140	51,00	3020	2	20,00	P1467	140	51,00	3020	4	31,00
76	471,10	460,99	-	-	-	-	-	-	P1457	140	51,00	3020	2	38,00	P1785	140	51,00	3020	4	58,50
95	585,10	576,17	P1773	108	45	2517	1	13,90	P1783	140	51,00	3020	2	50,00						
114	700,60	691,36	P1774	108	64	2525	1	20,00												


Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego


DIN 8187 - ISO / R 606




typ 1




typ 1*




typ 2



typ 3



typ 4





typ 5

Materiał: stal C 45			1" x 17,02 mm						podziałka 25,4 mm			B1	B2	B3	b1	C	r3			
												16,2	47,7	79,6	16,2	2,5	26			
Z	de	dp	1-rzędowe 16B-1						2-rzędowe 16B-2						3-rzędowe 16B-3					
			kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]	kod	dm	A	tuleja	typ	[kg]
13	117,70	106,12	P1468	73	25	1610	1	0,98	P1788	-	47,70	2012	3	1,60	-	-	-	-	-	-
14	125,70	114,15	P1469	76	25	1610	1	1,14	-	-	-	-	-	-	-	-	-	-	-	-
15	133,70	122,17	P1470	76	25	1610	1	1,30	P1489	-	47,70	2012	3	2,11	-	-	-	-	-	-
16	141,80	130,20	P1471	90	32	2012	1	1,40	-	-	-	-	-	-	-	-	-	-	-	-
17	149,80	138,22	P1472	90	32	2012	1	1,59	P1490	-	47,70	2517	3	2,53	P1499	-	79,60	2517	5	4,29
18	157,80	146,28	P1473	108	45	2517	1	2,10	-	-	-	-	-	-	-	-	-	-	-	-
19	165,90	154,33	P1474	108	45	2517	1	2,29	P1491	-	47,70	2517	3	3,80	P1500	-	79,60	3020	5	4,36
20	173,90	162,38	P1475	108	45	2517	1	2,60	-	-	-	-	-	-	-	-	-	-	-	-
21	182,00	170,43	P1476	110	45	2517	1	2,81	P1492	140	51,00	3020	2	4,15	P1501	-	79,60	3030	5	6,69
22	190,10	178,48	P1477	110	45	2517	1	3,10	-	-	-	-	-	-	-	-	-	-	-	-
23	198,10	186,53	P1478	110	45	2517	1	3,38	P1493	140	51,00	3020	2	5,69	P1502	-	79,60	3525	5	7,80
24	206,20	194,59	P1479	110	45	2517	1	3,70	-	-	-	-	-	-	-	-	-	-	-	-
25	214,20	202,66	P1480	110	45	2517	1	3,97	P1494	140	51,00	3020	2	6,38	P1503	-	79,60	3525	5	10,93
26	222,30	210,72	P1481	110	45	2517	1	4,26	-	-	-	-	-	-	-	-	-	-	-	-
27	230,40	218,79	P1482	110	45	2517	1	4,55	P1495	140	51,00	3020	2	9,27	P1504	-	79,60	3525	5	14,06
28	238,40	226,85	P1483	110	45	2517	1	5,26	-	-	-	-	-	-	-	-	-	-	-	-
30	254,60	243,00	P1484	140	51	3020	1	5,97	P1496	140	51,00	3020	2	13,50	P1505	-	79,60	3525	5	19,10
38	319,20	307,59	P1485	140	51	3020	1	8,73	P1497	140	51,00	3020	2	14,94	P1506	-	79,60	3525	5	35,00
45	377,90	364,13	P1486	140	51	3020	1	14,00	P1789	140	51,00	3020	2	35,00	P1793	216	79,60	4030	4	53,00
57	474,90	461,07	P1487	140	51	3020	1	22,00	P1498	175	65,00	3525	2	60,00	P1507	216	79,60	4030	4	90,00
76	628,40	614,65	P1488	140	51	3020	1	38,00	P1790	175	65,00	3525	2	110,00	P1794	216	79,60	4030	4	170,5
95	781,10	768,22	P1786	140	51	3020	1	60,00	P1791	215	65,00	3525	2	169,00	P1795	240	79,60	4030	4	266,00
114	934,30	921,81	P1787	140	76	3030	1	95,00	-	-	-	-	-	-	-	-	-	-	-	-


Koła łańcuchowe

Koła łańcuchowe pod tuleje zaciskowe TAPER LOCK dla łańcucha rolkowego


DIN 8187 - ISO / R 606




typ 1




typ 1*




typ 2



typ 3



typ 4





typ 5

Materiał: stal C 45			1"1/4 x 3/4"		podziałka 31,75 mm	B1 18,5	C 3,5	r3 32
Z	de	dp	1-rzędowe 20B-1					
			kod	dm	A	tuleja	typ	[kg]
13	147,80	132,65	P1796	90	32	2012	1	1,40
14	157,80	142,68	P1797	90	32	2012	1	1,85
15	167,70	152,72	P1508	108	45	2517	1	2,50
16	177,90	162,75	P1798	108	45	2517	1	2,80
17	187,70	172,78	P1509	108	45	2517	1	3,30
18	198,00	182,85	P1799	108	45	2517	1	3,45
19	207,90	192,91	P1510	108	45	2517	1	4,00
20	218,10	202,98	P1800	108	45	2517	1	4,80
21	228,00	213,04	P1511	108	45	2517	1	5,00
22	238,30	223,11	P1801	108	45	2517	1	5,60
23	248,20	233,17	P1512	108	45	2517	1	6,00
24	258,40	243,23	P1802	108	45	2517	1	6,50
25	268,40	253,33	P1513	108	45	2517	1	7,20
27	288,60	273,40	P1803	150	51	3020	1	9,00
30	318,70	303,75	P1514	150	51	3020	1	11,00
38	399,40	384,49	P1515	160	51	3020	1	17,50
45	470,30	455,17	P1804	160	51	3020	1	24,50
57	591,50	576,36	P1805	160	51	3020	1	38,00
76	783,50	768,32	P1806	160	51	3020	1	67,00

Koła łańcuchowe

Koła łańcuchowe z piastą i utwardzonymi zębami pod tuleje zaciskowe TAPER LOCK

DIN 8187 - ISO / R 606



Materiał: stal C 45




3/8" x 7/32" 06B - 1								1/2" x 5/16" 08B - 1							
podziałka 9,525 mm				B1 5,3	C 1	r3 10		podziałka 12,7 mm				B1 7,2	C 1,3	r3 13	
Z	de	dp	kod	dm	A	tuleja	[kg]	Z	de	dp	kod	dm	A	tuleja	[kg]
17	55,30	51,83	P1269	45	22	1008	0,13	15	65,50	61,90	P1276	45	22	1008	0,16
19	61,30	57,87	P1270	45	22	1008	0,22	17	73,60	69,11	P1277	60	25	1210	0,22
21	68,00	63,91	P1271	46	22	1008	0,32	19	81,70	77,16	P1278	63	25	1210	0,33
23	73,50	69,95	P1272	63	25	1210	0,39	21	89,70	85,22	P1279	71	25	1610	0,36
25	80,00	76,02	P1273	63	25	1210	0,60	23	98,20	93,27	P1280	76	25	1610	0,50
27	86,00	82,02	P1274	63	25	1210	0,68	25	105,80	101,33	P1281	76	25	1610	0,56
30	94,70	91,12	P1275	63	25	1210	0,75	27	114,40	109,40	P1282	76	25	1610	0,63
								30	126,10	121,50	P1283	90	32	2012	0,91

5/8" x 3/8" 10B - 1								3/4" x 7/16" 12B - 1							
podziałka 15,875 mm				B1 9,1	C 1,3	r3 16		podziałka 19,05 mm				B1 11,1	C 2	r3 19	
Z	de	dp	kod	dm	A	tuleja	[kg]	Z	de	dp	kod	dm	A	tuleja	[kg]
13	73,00	66,32	P1284	47	22	1008	0,23	13	87,50	79,59	P1293	60	25	1210	0,35
15	83,00	76,36	P1285	60	25	1210	0,30	15	99,80	91,63	P1294	70	25	1610	0,44
17	93,00	86,36	P1286	71	25	1610	0,38	17	111,50	103,67	P1295	76	25	1610	0,66
19	103,30	96,45	P1287	75	25	1610	0,54	19	124,20	115,75	P1296	90	32	2012	0,94
21	113,40	106,52	P1288	76	25	1610	0,65	21	136,00	127,82	P1297	102	45	2517	1,24
23	123,40	116,58	P1289	76	25	1610	0,77	23	149,00	139,90	P1298	108	45	2517	1,70
25	134,00	126,66	P1290	90	32	2012	1,05	25	160,20	151,99	P1299	108	44	2517	1,93
27	144,00	136,75	P1291	90	32	2012	1,17	27	172,30	164,00	P1300	108	45	2517	2,14
30	158,80	151,87	P1292	90	32	2012	1,40	30	190,50	182,25	P1301	108	45	2517	2,60

Koła łańcuchowe

Koła łańcuchowe z piastą i utwardzonymi zębami pod tuleje zaciskowe TAPER LOCK

DIN 8187 - ISO / R 606



Materiał: stal C 45

1" x 17/02" 16B - 1		podziałka 25,4 mm			B1 16,2	C 2,5	r3 26
Z	de	dp	kod	dm	A	tuleja	[kg]
14	125,00	114,15	P1836	76	25	1610	1,10
15	133,00	122,17	P1302	76	25	1615	1,30
17	149,00	138,20	P1303	90	32	2012	1,59
19	165,20	154,33	P1304	108	45	2517	2,29
21	181,20	170,43	P1305	110	45	2517	2,81
23	197,50	186,53	P1306	110	45	2517	3,38
25	213,50	202,66	P1307	110	45	2517	3,97
27	229,60	218,79	P1308	110	45	2517	4,55
30	254,00	243,00	P1309	140	51	3020	5,97

1"1/4 x 3/4" 20B - 1		podziałka 31,75 mm			B1 18,5	C 3,5	r3 32
Z	de	dp	kod	dm	A	tuleja	[kg]
15	167,90	152,72	P1310	108	45	2517	3,39
17	187,90	172,78	P1311	108	45	2517	5,07
19	208,10	192,91	P1312	108	45	2517	6,75
21	228,20	213,04	P1313	108	45	2517	7,70
23	248,30	233,17	P1314	108	45	2517	8,78
25	268,50	253,33	P1315	108	45	2517	9,50